

Short Description	Full Description	National	State	County	HRR	HIW ID
Abstinence discussion with parent before age 18: females	Percent of adolescents females who talked to a parent or guardian about abstinence before they were 18 years old	Yes				810
Abstinence discussion with parent before age 18: males	Percent of adolescents males who talked to a parent or guardian about abstinence before they were 18 years old	Yes				811
Abstinence instruction receipt before age 18: females	Percent of adolescents females who received formal instruction on abstinence before they were 18 years old	Yes				802
Abstinence instruction receipt before age 18: males	Percent of adolescents males who received formal instruction on abstinence before they were 18 years old	Yes				803
Activity limitation due to chronic back conditions	Activity limitation due to chronic back conditions	Yes				428
Activity limitations: adults 45+ years with COPD	Percent of adults aged 45 years and over with chronic obstructive pulmonary disease (COPD) who have activity limitations	Yes				1405
Activity limitations: persons with asthma	Percent of persons with current asthma who have activity limitations	Yes				1404
Actual Medicare total costs (dollars)	Actual total costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50079
Acute chemical poisoning monitoring: states	Number of States, Territories, and the District of Columbia that monitor diseases or conditions that can be caused by exposure to environmental hazards: acute chemical poisoning	Yes				718
Acute hospital readmissions (number)	Total inpatient readmissions within 30 days of an acute hospital stay	Yes	Yes	Yes	Yes	278
Acute hospital readmissions (percent)	Inpatient readmissions within 30 days of an acute hospital stay	Yes	Yes	Yes	Yes	279
Added sugar consumption	Mean percent of total daily calorie intake from added sugars for persons aged 2 years and over	Yes				1237
ADHD: children (percent)	Percent of children under age 18 years who have attention deficit hyperactivity disorder (ADHD)	Yes				50033
Adolescents having an adult to discuss problems with	Percent of adolescents who have an adult in their lives with whom they can talk about serious problems	Yes				409
Adolescents whose parents attend activities/events	Percent of adolescents whose parents attend their events and activities	Yes				410
Aerobic physical activity meeting guidelines: adults	Percent of adults who engage in aerobic physical activity of at least moderate intensity for at least 150 minutes/week, or 75 minutes/week of vigorous intensity, or an equivalent combination	Yes				1319

Short Description	Full Description	National	State	County	HRR	HIW ID
Aerobic physical activity meeting guidelines: teens	Percent of adolescents who meet current Federal physical activity guidelines for Aerobic physical activity	Yes	Yes			10170
Aerobic physical activity meeting high guidelines: adults	Percent of adults who engage in aerobic physical activity of at least moderate intensity for more than 300 minutes/week, or more than 150 minutes/week of vigorous intensity, or an equivalent combination	Yes				1320
Aerobic physical and muscle-strengthening activity: adults	Percent of adults who meet the objectives for aerobic physical activity and for muscle-strengthening activity	Yes				1322
African American Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who are African American	Yes	Yes	Yes	Yes	312
Air quality management program: schools	Percent of the Nation's elementary, middle, and high schools that engage in practices that promote a healthy and safe physical school environment: Have an indoor air quality management program	Yes				683
Airborne toxins from area sources	Airborne toxins from area sources that pose adverse health effects	Yes				671
Airborne toxins from major sources	Airborne toxins from major sources that pose adverse health effect	Yes				672
Airborne toxins from mobile sources	Airborne toxins from mobile sources that pose adverse health effects	Yes				670
Alcohol abstinence, preconception	Percent of women delivering a live birth who did not drink alcohol prior to pregnancy	Yes				1181
Alcohol abstinence, prenatal	Abstinence from alcohol, cigarettes, and illicit drugs among pregnant women-Alcohol	Yes				1142
Alcohol and/or illicit drug treatment receipt	Percent of persons who need alcohol and/or illicit drug treatment and received specialty treatment for abuse or dependence in the past year-Alcohol and/or illicit drug treatment	Yes				1455
Alcohol Screening and Brief Intervention: primary care & trauma centers	Number of Level I and Level II trauma centers and primary care settings that implement evidence-based alcohol Screening and Brief Intervention (SBI)	Yes				1460
Alcohol sold	Average annual alcohol consumption rate	Yes				1439
Alcohol treatment receipt	Percent of persons who need alcohol and/or illicit drug treatment and received specialty treatment for abuse or dependence in the past year-Alcohol abuse or dependence	Yes				1456
Alcohol, never use: at risk teens	Percent of at risk adolescents aged 12 to 17 years who, in the past year, refrained from using alcohol for the first time	Yes				1428

Short Description	Full Description	National	State	County	HRR	HIW ID
Alcohol, never use: high school seniors	Percent of high school seniors never using substances- Alcoholic beverages	Yes				1430
Alcohol-attributable deaths	Number of deaths attributable to alcohol	Yes				1467
Alcohol-impaired driving deaths	Alcohol-impaired driving (.08+ blood alcohol content [BAC]) fatality rate	Yes				1466
Allergic reactions to food: adults	Percent of adults with a physician-diagnosed food allergy with a severe allergic reactions to food	Yes				820
Alzheimer's disease deaths (per 100,000)	Alzheimer's disease death rate per 100,000	Yes	Yes	Yes		50015
Alzheimer's Disease, Related Disorders, or Senile Dementia Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have Alzheimer's Disease, Related Disorders, or Senile Dementia	Yes	Yes	Yes	Yes	50016
Alzheimer's Disease, Related Disorders, or Senile Dementia Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have Alzheimer's Disease, Related Disorders, or Senile Dementia	Yes	Yes	Yes	Yes	50021
Ambulance actual Medicare cost (dollars)	Actual ambulance costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50113
Ambulance Medicare users (number)	Medicare fee-for-service beneficiaries who had covered ambulance services	Yes	Yes	Yes	Yes	50077
Ambulance Medicare utilization (percent)	Proportion of Medicare fee-for-service beneficiaries who had covered ambulance services	Yes	Yes	Yes	Yes	50078
Ambulance standardized Medicare costs (dollars)	Standardized ambulance costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50114
Ambulatory Surgery Center actual Medicare costs (dollars)	Actual ambulatory surgery center costs of Medicare fee-for- service beneficiaries	Yes	Yes	Yes	Yes	50099
Ambulatory surgery center Medicare users (number)	Medicare fee-for-service beneficiaries who used ambulatory surgery center services	Yes	Yes	Yes	Yes	233
Ambulatory surgery center Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used ambulatory surgery center services	Yes	Yes	Yes	Yes	234
Ambulatory surgery center standardized Medicare costs (dollars)	Standardized ambulatory surgery center costs of Medicare fee- for-service beneficiaries	Yes	Yes	Yes	Yes	50100
Ambulatory surgical center Medicare service events (per 1,000 beneficiaries)	Rate of ambulatory surgery center service events among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2020
Ambulatory Surgical Centers (number)	Number of Medicare participating Ambulatory Surgical Centers	Yes	Yes		Yes	10033
Amputation among diabetics rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Rate of lower extremity amputation among patients with diabetes among Medicare beneficiaries with full fee-for-service coverage for 12 months	Yes	Yes	Yes	Yes	2046
Anencephaly	Rate of anencephaly	Yes				1170

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Antibiotic use: persons with the common colds	Rate of courses of antibiotics prescribed for the sole diagnosis of the common cold	Yes				10169
Antibiotic-resistant pneumococcal infections: children <5 years	Rate of invasive antibiotic-resistant pneumococcal infections among children under age 5 years	Yes				965
Antibiotic-resistant pneumococcal infections: older adults	Rate of invasive antibiotic-resistant pneumococcal infections among adults aged 65 years and older	Yes				966
Antibiotics for ear infections: children <5 years	Rate of physician visits by children less than 5 years of age diagnosed with an ear infection that have an antibiotic course ordered, supplied, administered, or continued	Yes				10168
Antimicrobial resistance to 3+ classes of antimicrobials	Percent of non-typhoidal Salmonella and Campylobacter jejuni isolates from humans that are resistant to antimicrobial drugs: Non-typhoidal Salmonella isolates from humans that are resistant to three or more classes of antimicrobial agents	Yes				833
Antimicrobial resistance to Ampicillin	Percent of non-typhoidal Salmonella and Campylobacter jejuni isolates from humans that are resistant to antimicrobial drugs: Non-typhoidal Salmonella isolates from humans that are resistant to ampicillin	Yes				832
Antimicrobial resistance to Ceftriaxone	Percent of non-typhoidal Salmonella and Campylobacter jejuni isolates from humans that are resistant to antimicrobial drugs: Non-typhoidal Salmonella isolates from humans that are resistant to Ceftriaxone (third-generation cephalosporin)	Yes				830
Antimicrobial resistance to ciprofloxacin	Percent of non-typhoidal Salmonella and Campylobacter jejuni isolates from humans that are resistant to antimicrobial drugs: Non-typhoidal Salmonella isolates from humans that are resistant to ciprofloxacin	Yes				829
Antimicrobial resistance to Erythromycin	Percent of non-typhoidal Salmonella and Campylobacter jejuni isolates from humans that are resistant to antimicrobial drugs: Campylobacter jejuni isolates from humans that are resistant to Erythromycin	Yes				834
Antimicrobial resistance to Gentamicin	Percent of non-typhoidal Salmonella and Campylobacter jejuni isolates from humans that are resistant to antimicrobial drugs: Non-typhoidal Salmonella isolates from humans that are resistant to gentamicin	Yes				831

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Appropriate treatment use: adults with balance/dizziness problems	Percent of adults who have tried recommended methods for treating their balance or dizziness problem	Yes				765
Appropriate treatment use: adults with tinnitus	Percent of adults for whom tinnitus is a moderate to severe problem who have tried appropriate treatments	Yes				761
Arsenic level	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: arsenic	Yes				695
Arsenic poisoning monitoring: states	Number of States, Territories, and the District of Columbia that monitor diseases or conditions that can be caused by exposure to environmental hazards: arsenic poisoning	Yes				716
Arteriovenous fistula use: hemodialysis patients	Percent of adult hemodialysis patients who use arteriovenous fistulas or have a maturing fistula as the primary mode of vascular access at the start of renal replacement therapy	Yes				471
Arthritis activity limitation: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms	Yes				419
Arthritis education: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who have had effective, evidence-based arthritis education as an integral part of the management of their condition	Yes				426
Arthritis Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have arthritis	Yes	Yes	Yes	Yes	50017
Arthritis Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have arthritis	Yes	Yes	Yes	Yes	50022
Artificial UV tanning: adults	Percent of adults aged 18 and older who report using artificial sources of ultraviolet light for tanning	Yes				502
Artificial UV tanning: teens	Percent of adolescents in grades 9 through 12 who report using artificial sources of ultraviolet light for tanning	Yes				501
Aspirin use for secondary prevention (percent)	The percentage of physician office visits to primary care physicians and cardiologists by adult patients aged ≥ 18 years with ischemic vascular disease where physicians had prescribed aspirin or other antiplatelet medication.	Yes				50115
Assaults, work-related	Rate of work-related assaults	Yes				1311

Short Description	Full Description	National	State	County	HRR	HIW ID
Assistive listening device use: older adults	Rate of adults aged 70 years and older with hearing loss who use assistive listening devices	Yes				747
Assistive/adaptive devices use: adults with visual impairment	Percent of persons aged 18 years and over with visual impairment who use assistive and adaptive devices	Yes				1575
Associate degrees in public health: 2-year colleges	Percent of 2-year colleges that offer public health or related Associate degrees	Yes				1388
Asthma attack in past 12 months: children (percent)	Percent of children under age 18 years who have had an asthma attack in the past 12 months	Yes				50032
Asthma deaths: adults 35-64 years	Asthma death rate: Adults aged 35 to 64 years old	Yes				1408
Asthma deaths: older adults	Asthma death rate: Adults aged 65 years and over	Yes				1409
Asthma deaths: persons <35 years	Asthma death rate: Children and adults under age 35 years	Yes				1407
Asthma ED visits: children <5 years	Rate of hospital emergency department visits for asthma: Children under age 5 years	Yes				1401
Asthma ED visits: older adults	Rate of hospital emergency department visits for asthma: Adults aged 65 years and over	Yes				1403
Asthma ED visits: persons 5-64 years	Rate of hospital emergency department visits for asthma: Children and adults aged 5 to 64 years	Yes				1402
Asthma exposure risks, advise to reduce: persons with asthma	Percent of persons with current asthma who have been advised by a health professional to change things in their home, school, and work environments to reduce exposure to irritants or allergens to which they are sensitive	Yes				1417
Asthma hospitalizations: children <5 years	Rate of hospitalizations for asthma: Children under age 5 years	Yes				1398
Asthma hospitalizations: older adults	Rate of hospitalizations for asthma: Adults aged 65 years and over	Yes				1400
Asthma hospitalizations: persons 5-64 years	Rate of hospitalizations for asthma: Children and adults aged 5 to 64 years	Yes				1399
Asthma in younger adults admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Asthma in younger adults admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2045
Asthma inhalers, receipt of instructions	Percent of persons with current asthma with prescribed inhalers who receive instruction on their use	Yes				1414
Asthma management plans receipt from health care provider	Percent of persons with current asthma who receive written asthma management plans from their health care provider	Yes				1413
Asthma Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have asthma	Yes	Yes	Yes	Yes	50007

Short Description	Full Description	National	State	County	HRR	HIW ID
Asthma Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have asthma	Yes	Yes	Yes	Yes	50008
Asthma medication regimen, appropriate	Percent of persons with current asthma who do not use more than one canister of short-acting inhaled beta agonist per month	Yes				1416
Asthma patient education receipt	Percent of persons with current asthma who receive formal patient education	Yes				1412
Asthma signs/symptoms and responses, education receipt	Percent of persons with current asthma who receive education about appropriate response to an asthma episode, including recognizing early signs and symptoms or monitoring peak flow results	Yes				1415
Asthma surveillance systems: states	Numbers of states, territories, and the District of Columbia with a comprehensive asthma surveillance system for tracking asthma cases, illness, and disability at the State level	Yes				1421
Asthma: children (percent)	Percent of children under age 18 years who have asthma at time of interview	Yes				50031
Atrial fibrillation Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have atrial fibrillation	Yes	Yes	Yes	Yes	285
Atrial fibrillation Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have atrial fibrillation	Yes	Yes	Yes	Yes	286
Autism spectrum disorder screening	Percent of children (10-35 months of age) who are screened for autism and other developmental delays in the past year	Yes				1188
Average age of Medicare beneficiaries (mean)	Average age of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	308
Average total hierarchical condition category score for Medicare beneficiaries (mean)	Average hierarchical condition category score of Medicare beneficiaries with full fee-for-service coverage for 12 months	Yes	Yes	Yes	Yes	318
Bacterial pneumonia admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Bacterial pneumonia admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2043
Basic action difficulty/Complex activity limitation: adults (percent)	Percent of persons 18 years and over who have any basic actions difficulty or complex activity limitation	Yes				50049
Basic actions difficulty: adults (percent)	Percent of adults aged 18 and over with at least one basic actions difficulty	Yes				50042
BDE 47 level: persons 12+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: BDE 47, (2,2',4,4'-tetrabromodiphenyl ether)	Yes				712

Short Description	Full Description	National	State	County	HRR	HIW ID
Beaches open and safe	Percent of days that beaches are open and safe for swimming	Yes				674
Beta-HCH level: persons 12+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: beta-hexachlorocyclohexane or beta-HCH	Yes				702
Bicycle helmet laws: states	Number of states and the District of Columbia with laws requiring bicycle helmets for bicycle riders	Yes				1049
Bicycling for transportation	Percent of trips to work using of alternative modes of transportation - bicycling	Yes				666
Binge drinking abstinence, prenatal	Abstinence from alcohol, cigarettes, and illicit drugs among pregnant women-Binge drinking	Yes				1143
Binge drinking: adults	Percent of persons engaging in binge drinking during the past month-Adults aged 18 years and older	Yes				1437
Binge drinking: adults (percent)	Percent of adults 18 years and over that report binge drinking		Yes	Yes		17
Binge drinking: college students	Percent of students engaging in binge drinking during the past 2 weeks-College students	Yes				1436
Binge drinking: high school seniors	Percent of students engaging in binge drinking during the past 2 weeks-High school seniors	Yes				1435
Binge drinking: teens	Percent of persons engaging in binge drinking during the past month-Adolescents aged 12 to 17 years	Yes				1438
Birth control discussion with parent before age 18: females	Percent of adolescents females who talked to a parent or guardian about birth control methods before they were 18 years old	Yes				812
Birth control discussion with parent before age 18: males	Percent of adolescents males who talked to a parent or guardian about birth control methods before they were 18 years old	Yes				813
Birth control instruction receipt before age 18: females	Percent of adolescents females who received formal instruction on birth control methods before they were 18 years old	Yes				804
Birth control instruction receipt before age 18: males	Percent of adolescents males who received formal instruction on birth control methods before they were 18 years old	Yes				805
Births: females 15-19 years (per 1,000)	Births to females 15-19 years of age per 1,000	Yes	Yes	Yes		22
Births: unmarried women 18-54 years (percent)	Percent of all live births to women ages 18-54 years who report not being married	Yes	Yes	Yes		99
Births: women 40-54 years (percent)	Percent of all live births to women 40-54 years of age	Yes	Yes	Yes		98
Births: women under 18 years (percent)	Percent of all live births to mothers less than 18 years of age	Yes	Yes	Yes		97

Short Description	Full Description	National	State	County	HRR	HIW ID
Bisphenol A level: persons 6+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: Bisphenol A	Yes				709
Blood donations: adults	Percent of persons who donate blood	Yes				436
Blood folate concentration: reproductive-aged women	Percent of women of childbearing potential who have lower red blood-cell folate concentrations	Yes				1172
Blood pressure control: adults with hypertension (percent)	Percent of adults with hypertension whose blood pressure is under control	Yes				882
Blood pressure screening: adults	Percent of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high	Yes				883
Blood pressure under control: adults with diabetes	Percent of adults with diagnosed diabetes whose blood pressure is under control	Yes				560
Body mass index assessment of adults by physicians	Percent of primary care physicians who regularly assess body mass index (BMI) in their adult patients	Yes				1234
Body mass index assessment of children by physicians	Percent of primary care physicians who regularly assess body mass index (BMI) for age and sex in their child or adolescent patients	Yes				1235
Breakfast program: schools	Percent of schools with a school breakfast program	Yes				417
Breast cancer deaths	Breast cancer death (female) rate	Yes	Yes	Yes		488
Breast cancer Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have breast cancer	Yes	Yes	Yes	Yes	299
Breast cancer Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have breast cancer	Yes	Yes	Yes	Yes	300
Breastfeeding, at 1 year	Percent of infants who are breastfed-At 1 year	Yes	Yes			1149
Breastfeeding, at 6 months	Percent of infants who are breastfed-At 6 months	Yes	Yes			1148
Breastfeeding, ever	Percent of infants who are breastfed-Ever	Yes	Yes			1147
Breastfeeding, exclusively through 3 months	Percent of infants who are breastfed-Exclusively through 3 months	Yes	Yes			1150
Breastfeeding, exclusively through 6 months	Percent of infants who are breastfed-Exclusively through 6 months	Yes	Yes			1151
Broadband access to internet	Percent of persons with broadband access to the Internet	Yes				858
Bullying: teens	Percent of bullying among adolescents	Yes	Yes			1102
Cadmium level	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: cadmium	Yes				696

Short Description	Full Description	National	State	County	HRR	HIW ID
Cadmium poisoning monitoring: states	Number of States, Territories, and the District of Columbia that monitor diseases or conditions that can be caused by exposure to environmental hazards: cadmium poisoning	Yes				717
Calcium consumption	Mean total daily calcium intake (in mg) by persons aged 2 years and over	Yes				1223
Campylobacter species infections	Rate of infections caused by key pathogens transmitted commonly through food: Campylobacter species	Yes				822
Cancer deaths, total	Overall cancer death rate	Yes	Yes	Yes		486
Cancer prevalence: adults (percent)	Respondent-reported prevalence of cancer among adults aged 18 and over	Yes				50045
Cancer survival	Relative 5-year cancer survival rate	Yes				498
Carbon monoxide poisoning monitoring: states	Number of States, Territories, and the District of Columbia that monitor diseases or conditions that can be caused by exposure to environmental hazards: carbon monoxide poisoning	Yes				719
Cardiovascular death: hemodialysis patients	Cardiovascular death rate for persons on hemodialysis	Yes				465
Cardiovascular death: kidney transplant patients	Cardiovascular death rate for persons with a functioning kidney transplant	Yes				467
Catheter use for vascular access: hemodialysis patients	Percent of adult hemodialysis patients who use catheters as the only mode of vascular access	Yes				470
Central line-associated bloodstream infections	Central line-associated bloodstream infections	Yes	Yes			851
Certificate programs in public health: 2-year colleges	Percent of 2-year colleges that offer public health or related Certificate programs	Yes				1389
Certificates of birth, use of latest standard form: States	Number of States that record vital events using the latest U.S. standard certificates and report-States using the standard certificate of birth	Yes				1382
Certificates of death, use of latest standard form: States	Number of States that record vital events using the latest U.S. standard certificates and report - States using the standard certificate of death	Yes				1383
Cervical cancer screening: women 21-65 years	Percent of women who receive a cervical cancer screening based on the most recent guidelines	Yes				505
Cesarean delivery, first	Percent of live births that are cesarean deliveries among low-risk (full-term, singleton, vertex presentation) women who have never previously had a cesarean birth	Yes				1133
Cesarean delivery, repeat	Percent of live births that are cesarean among low-risk (full-term, singleton, vertex presentation) women who have had a prior cesarean birth	Yes				1134

Short Description	Full Description	National	State	County	HRR	HIW ID
Child developmental concerns addressed by doctors: children <5 years	Percent of children aged 5 years and under whose doctor asked their parents about concerns regarding the child's learning, development, or behavior	Yes				741
Child maltreatment deaths	Child maltreatment death rate	Yes				1085
Child maltreatment, nonfatal	Nonfatal child maltreatment	Yes				1084
Children's Hospitals (number)	Number of Children's Hospitals participating in the Medicare program	Yes	Yes		Yes	10034
Chlamydia (per 100,000)	Chlamydia rate	Yes	Yes	Yes		20
Chlamydia screening: females 16-20 years with Medicaid	Percent of sexually active females aged 16 to 20 years enrolled in Medicaid plans who are screened for genital Chlamydia infections during the measurement year	Yes				1486
Chlamydia screening: females 16-20 years with private health insurance	Percent of sexually active females aged 16 to 20 years enrolled in commercial health insurance plans who are screened for genital Chlamydia infections during the measurement year	Yes				1488
Chlamydia screening: females 21-24 years with Medicaid	Percent of sexually active females aged 21 to 24 years enrolled in Medicaid plans who are screened for genital Chlamydia infections during the measurement year	Yes				1487
Chlamydia screening: females 21-24 years with private health insurance	Percent of sexually active females aged 21 to 24 years enrolled in commercial health insurance plans who are screened for genital Chlamydia infections during the measurement year	Yes				1489
Chlamydia: females <24 years in a national job training program	Percent of adolescents and young adults with Chlamydia trachomatis infections-Among females aged 24 years and under enrolled in a National Job Training Program	Yes				1476
Chlamydia: females 15-24 years attending family planning clinics	Percent of adolescents and young adults with Chlamydia trachomatis infections-Among females aged 15 to 24 years attending family planning clinics	Yes				1475
Chlamydia: males <24 years in a national job training program	Percent of adolescents and young adults with Chlamydia trachomatis infections-Among males aged 24 years and under enrolled in a National Job Training Program	Yes				1477
Chlordane level: persons 12+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: Chlordane (Oxychlordane)	Yes				700

Short Description	Full Description	National	State	County	HRR	HIW ID
Chlorpyrifos level: persons 6+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: 3,4,6-trichloro-2-pyridinol (chlorpyrifos)	Yes				704
Cholesterol levels: adults	Mean total blood cholesterol levels among adults	Yes				884
Cholesterol management (percent)	Managed low-density lipoprotein cholesterol (LDL-C) among hyperlipidemic adults aged ≥20 years.	Yes				50073
Cholesterol screening: adults	Percent of adults who have had their blood cholesterol checked within the preceding 5 years	Yes				886
Chronic diseases prevention: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in chronic disease programs	Yes				602
Chronic hepatitis B: children 1-24 months	Number of chronic hepatitis B virus infections in infants and young children (perinatal infections)	Yes				962
Chronic kidney disease deaths: adults	Death rate among adults 18 years or older with chronic kidney disease	Yes				484
Chronic kidney disease Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have chronic kidney disease	Yes	Yes	Yes	Yes	287
Chronic kidney disease Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have chronic kidney disease	Yes	Yes	Yes	Yes	288
Chronic kidney disease: adults	Percent of the adults with chronic kidney disease	Yes				483
Chronic lower respiratory disease deaths (per 100,000)	Chronic lower respiratory disease (CLRD) death rate	Yes	Yes	Yes		50012
Chronic obstructive pulmonary disease (COPD) Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have chronic obstructive pulmonary disease	Yes	Yes	Yes	Yes	289
Chronic obstructive pulmonary disease (COPD) Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have chronic obstructive pulmonary disease	Yes	Yes	Yes	Yes	290
Chronic obstructive pulmonary disease admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Chronic obstructive pulmonary disease admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2039
Cigar smoking: adults	Percent of adults aged 18 years and over smoking cigars	Yes				1500
Cigar use in past month: teens	Percent of adolescent reporting use of cigars in the past month - Students (grades 9 through 12)	Yes	Yes			1504
Cigar use initiation: adults 18-25 years	Percent of young adults aged 18 to 25 years initiating cigar use in the past 12 months	Yes				1512
Cigar use initiation: teens	Percent of children and adolescents aged 12 to 17 years initiating cigar use in past 12 months	Yes				1508

Short Description	Full Description	National	State	County	HRR	HIW ID
Cigarette abstinence, prenatal	Abstinence from alcohol, cigarettes, and illicit drugs among pregnant women-Cigarette smoking	Yes				1144
Cigarette smoking: adults	Percent of adults aged 18 years and over smoking cigarettes	Yes				1498
Cigarette smoking: adults (percent) (Source: BRFSS)	Percent of adults 18 years and over that report currently smoking cigarettes		Yes	Yes		13
Cigarette use in past month: teens	Percent of adolescent reporting use of cigarettes in the past month - Students (grades 9 through 12)	Yes	Yes			1502
Cigarette use initiation: adults 18-25 years	Percent of young adults aged 18 to 25 years initiating cigarette use in the past 12 months	Yes				1510
Cigarette use initiation: teens	Percent of children and adolescents aged 12 to 17 years initiating cigarette use in past 12 months	Yes				1506
Cirrhosis deaths	Cirrhosis death rate	Yes	Yes			1425
Clean hands, food safety practice	Percent of consumers who follow key food safety practices-- Clean: Wash hands and surfaces often	Yes				835
Clinical Laboratory Improvement Act (CLIA) Providers (number)	Number of Clinical Laboratory Improvement Act (CLIA) providers participating in the Medicare program	Yes	Yes		Yes	10035
Clinical preventive measure use: females 65+ years	Percent of older adults who are up to date on a core set of clinical preventive measures-Females	Yes	Yes			1262
Clinical preventive measure use: males 65+ years	Percent of older adults who are up to date on a core set of clinical preventive measures-Males	Yes	Yes			1261
Cochlear implant surgeries: deaf persons	Rate of persons who are deaf or very hard of hearing and who have new cochlear implants	Yes				745
College degree: adults 25+ (percent)	Percent of population age 25+ with 4-year college degree or higher	Yes	Yes	Yes		34
Colonoscopy use: adults 50-75 (percent) (Source: NHIS)	Percent of adults aged 50-75 who have had a colonoscopy in the past 10 years	Yes				50064
Colonoscopy/sigmoidoscopy: adults 50+ (percent)	Percent of adults age 50+ that report ever having had a sigmoidoscopy or colonoscopy		Yes	Yes		117
Colorectal cancer deaths (per 100,000)	Colorectal cancer death rate per 100,000	Yes	Yes	Yes		86
Colorectal cancer deaths, including unspecified sites	Colorectal cancer death rate, including unspecified sites, per 100,000	Yes				490
Colorectal cancer Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have colorectal cancer	Yes	Yes	Yes	Yes	301
Colorectal cancer Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have colorectal cancer	Yes	Yes	Yes	Yes	302
Colorectal cancer screening: persons 50-75 years	Percent of adults who receive a colorectal cancer screening based on the most recent guidelines	Yes				506

Short Description	Full Description	National	State	County	HRR	HIW ID
Commitment to reduce risk: news on foodborne disease outbreaks or national disasters	Percent of crisis and emergency risk messages embedded in print and broadcast news stories that express commitment from the responsible or responding entity	Yes				10099
Community Mental Health Centers (number)	Number of Community Mental Health Centers participating in the Medicare program	Yes	Yes		Yes	10036
Competencies for public health professionals: Local agencies	Percent of Federal, Tribal, State, and local public health agencies that incorporate core competencies for public health professionals into job descriptions and performance evaluations-Local public health agencies	Yes				1372
Complete vaccination: children 19-35 months	Percent of children aged 19 to 35 months who receive the recommended doses of DTaP, polio, MMR, Hib, hepatitis B, varicella and PCV	Yes	Yes			1008
Complex activity limitation: adults (percent)	Percent of adults aged 18 and over with at least one complex activity limitation	Yes				50043
Comprehensive care systems: children with special needs	Percent of children with special health care needs who receive their care in family-centered, comprehensive, coordinated systems-Children aged 0 to 11 years	Yes				1154
Comprehensive care systems: teens with special needs	Percent of children with special health care needs who receive their care in family-centered, comprehensive, coordinated systems-Children aged 12 to 17 years	Yes				1155
Comprehensive Outpatient Rehabilitation Facilities (number)	Number of Comprehensive Outpatient Rehabilitation (CORF) Facilities participating in the Medicare program	Yes	Yes		Yes	10037
Condition not improving: adults with balance/dizziness problems	Percent of adults with balance and dizziness problems in the past 12 months who reported their condition got worse or did not improve	Yes				766
Condom use at first intercourse: females 15-19 years	Percent of sexually active females aged 15 to 19 years who use a condom at first intercourse	Yes				794
Condom use at first intercourse: males 15-19 years	Percent of sexually active males aged 15 to 19 years who use a condom at first intercourse	Yes				795
Condom use at last intercourse: females 15-19 years	Percent of sexually active females aged 15 to 19 years who use a condom at last intercourse	Yes				796
Condom use at last intercourse: males 15-19 years	Percent of sexually active males aged 15 to 19 years who use a condom at last intercourse	Yes				797
Congenital Rubella Syndrome	Number of Congenital Rubella Syndrome (CRS) among children aged 1 year and under (U.S.-acquired cases)	Yes				978
Congestive heart failure admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Congestive heart failure admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2041

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Congregate care: adults with disabilities	Number of adults with disabilities (aged 22 years and older) living in congregate care facilities with 16 beds or more	Yes				524
Congregate care: persons <22 years with disabilities	Number of children and youth with disabilities (aged 21 years and under) living in congregate care facilities with 16 beds or more	Yes				525
Consultation received for work related asthma: adults	Percent of adults with current asthma who have discussed with a doctor or other health professional whether their asthma was work-related	Yes				1420
Contraception use at first intercourse: females 15-19 years	Percent of sexually active females aged 15 to 19 years who use a condom and hormonal or intrauterine contraception at first intercourse	Yes				798
Contraception use at first intercourse: males 15-19 years	Percent of sexually active males aged 15 to 19 years who use a condom and hormonal or intrauterine contraception at first intercourse	Yes				799
Contraception use at last intercourse: females 15-19 years	Percent of sexually active females aged 15 to 19 years who use a condom and hormonal or intrauterine contraception at last intercourse	Yes				800
Contraception use at last intercourse: males 15-19 years	Percent of sexually active males aged 15 to 19 years who use a condom and hormonal or intrauterine contraception at last intercourse	Yes				801
Contraceptive services/supplies need and receipt through public sector	Percent of females in need of publicly supported contraceptive services and supplies who receive those services and supplies	Yes				819
Contraceptive use at most recent sexual intercourse	Percent of females or their partners at risk of unintended pregnancy who used contraception at most recent sexual intercourse	Yes				785
Cook to proper temperature, food safety practice	Percent of consumers who follow key food safety practices-- Cook: Cook to proper temperatures	Yes				837
COPD deaths: adults 45+ years	Chronic obstructive pulmonary disease (COPD) death rate among adults aged 45 years and over	Yes				1406
COPD ED visits: adults 45+ years	Rate of hospital emergency department visits for chronic obstructive pulmonary disease (COPD) among adults aged 45 years and over	Yes				1423
COPD hospitalizations: adults 45+ years	Hospitalization rate for chronic obstructive pulmonary disease (COPD) among adults aged 45 years and over	Yes				1422

Short Description	Full Description	National	State	County	HRR	HIW ID
Core Competencies in Public Health in curricula	Percent of Council on Education for Public Health (CEPH) accredited schools of public health, CEPH accredited academic programs, and schools of nursing (with a public health or community health component) that integrate Core Competencies for Public Health Professionals into curricula	Yes				1373
Coronary heart disease deaths	Coronary heart disease death rate	Yes	Yes	Yes		877
Critical Access Hospitals (number)	Number of Critical Access Hospitals participating in the Medicare program	Yes	Yes		Yes	10038
D.O. training, counseling for health promotion	Percent of DO-granting medical schools that include training in counseling for health promotion and disease prevention	Yes				612
D.O. training, cultural diversity	Percent of DO-granting medical schools that include training in cultural diversity	Yes				613
D.O. training, environmental health	Percent of DO-granting medical schools that include training in environmental health	Yes				615
D.O. training, evaluation of health sciences literature	Percent of DO-granting medical schools that include training in evaluation of health sciences literature	Yes				614
D.O. training, global health	Percent of DO-granting medical schools that include training in global health in health	Yes				617
D.O. training, public health systems	Percent of DO-granting medical schools that include training in public health systems	Yes				616
Data systems in HP2020 that collect data on lesbian, gay, and bisexual populations	Number of population-based data systems used to monitor Healthy People 2020 objectives which collect data on (or for) lesbian, gay and bisexual populations	Yes				10134
Data systems in HP2020 that collect data on transgender populations	Number of population-based data systems used to monitor Healthy People 2020 objectives which collect data on (or for) transgender populations	Yes				10135
DDT level: persons 12+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: DDT (DDE)	Yes				701
Deaf or a lot of trouble hearing: adults (percent)	Percent of adults aged 18 and over who have a lot of trouble hearing or who are deaf	Yes				50062
Death: kidney transplant patients	Total death rate for persons with a functioning kidney transplant	Yes				466
Deaths, all causes (per 100,000)	Death rate per 100,000 population from all causes of death	Yes	Yes	Yes		71
Deaths: adults 20-24 years	Rates of adolescent and young adult deaths-Young adults aged 20 to 24 years	Yes	Yes			1128

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Deaths: children 1-4 years	Rate of child deaths-Children aged 1 to 4 years	Yes	Yes			1124
Deaths: children 10-14 years	Rates of adolescent and young adult deaths-Adolescents aged 10 to 14 years	Yes	Yes			1126
Deaths: children 5-9 years	Rate of child deaths-Children aged 5 to 9 years	Yes	Yes			1125
Deaths: infants with Down syndrome	One-year mortality rate for infants with Down syndrome	Yes				1187
Deaths: teens 15-19 years	Rates of adolescent and young adult deaths-Adolescents aged 15 to 19 years	Yes	Yes			1127
Dehydration admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Dehydration admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2042
Dental care not received due to cost (percent)	Percent of persons of all ages who did not get dental care in the previous 12 months due to cost	Yes	Yes			50067
Dental care programs: school-based health centers	Percent of school-based health centers with an oral health component that includes dental care	Yes				1285
Dental caries experience: children 3-5 years	Percent of young children aged 3 to 5 years with dental caries experience in their primary teeth	Yes				1269
Dental caries experience: children 6-9 years	Percent of children aged 6 to 9 years with dental caries experience in their primary and permanent teeth	Yes				1270
Dental caries experience: teens 13-15 years	Percent of adolescents aged 13 to 15 years with dental caries experience in their permanent teeth	Yes				1271
Dental decay, untreated: adults 35-44 years	Percent of adults aged 35 to 44 years with untreated dental decay	Yes				1275
Dental decay, untreated: adults 65-74 years	Percent of older adults aged 65 to 74 years with untreated coronal caries	Yes				1276
Dental decay, untreated: adults 75+ years	Percent of older adults aged 75 years and older with untreated root surface caries	Yes				1277
Dental decay, untreated: children 3-5 years	Percent of young children aged 3 to 5 years with untreated dental decay in their primary teeth	Yes				1272
Dental decay, untreated: children 6-9 years	Percent of children aged 6 to 9 years with untreated dental decay in their primary and permanent teeth	Yes				1273
Dental decay, untreated: teens 13-15 years	Percent of adolescents aged 13 to 15 years with untreated dental decay in their permanent teeth	Yes				1274
Dental examinations, annual: persons with diabetes	Percent of persons with diagnosed diabetes who have at least an annual dental examination	Yes				553
Dental professional directing dental program: IHS programs	Number of Indian Health Service Areas and Tribal health programs that serve jurisdictions of 30,000 or more persons with a dental public health program directed by a dental professional with public health training	Yes				1292

Short Description	Full Description	National	State	County	HRR	HIW ID
Dental professional directing dental program: state & local agencies	Percent of States (including the District of Columbia) and local health agencies that serve jurisdictions of 250,000 or more persons with a dental public health program directed by a dental professional with public health training	Yes				1291
Dental sealant programs: school-based health centers	Percent of school-based health centers with an oral health component that includes dental sealants	Yes				1284
Dental sealants: children 3-5 years	Percent of children aged 3 to 5 years who have received dental sealants on one or more of their primary molar teeth	Yes				1281
Dental sealants: children 6-9 years	Percent of children aged 6 to 9 years who have received dental sealants on one or more of their permanent first molar teeth	Yes				1282
Dental sealants: teens 13-15 years	Percent of adolescents aged 13 to 15 years who have received dental sealants on one or more of their permanent molar teeth	Yes				1283
Dental service use: low-income children	Percent of low-income children and adolescents who received any preventive dental service during the past year	Yes				1267
Dental visits: ages 2+ (percent) (Source: NHIS)	Percent of persons 2 years of age and over who had have a dental visit in the past year	Yes				50053
Dentist rate (per 100,000)	The total number of active dentists per capita		Yes	Yes		130
Dentist training, counseling for health promotion	Percent of Doctor of Dental Surgery and/or Doctor of Dental Medicine granting colleges and schools of Dentistry that include training in health promotion and disease prevention	Yes				10081
Dentist training, cultural diversity	Percent of Doctor of Dental Surgery and/or Doctor of Dental Medicine granting colleges and schools of Dentistry that include training in cultural diversity	Yes				10082
Dentist training, environmental health	Percent of Doctor of Dental Surgery and/or Doctor of Dental Medicine granting colleges and schools of Dentistry that include training in environmental health	Yes				10084
Dentist training, evaluation of health sciences literature	Percent of Doctor of Dental Surgery and/or Doctor of Dental Medicine granting colleges and schools of Dentistry that include training in evaluation of health sciences literature	Yes				10083
Dentist training, global health	Percent of Doctor of Dental Surgery and/or Doctor of Dental Medicine granting colleges and schools of Dentistry that include training in global health	Yes				10086

Short Description	Full Description	National	State	County	HRR	HIW ID
Dentist training, public health systems	Percent of Doctor of Dental Surgery and/or Doctor of Dental Medicine granting colleges and schools of Dentistry that include training in public health systems	Yes				10085
Depression Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have depression	Yes	Yes	Yes	Yes	291
Depression Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have depression	Yes	Yes	Yes	Yes	292
Depression screening by primary care providers: adults	Percent of primary care physician office visits that screen adults aged 19 years and older for depression	Yes				1120
Depression screening by primary care providers: teens	Percent of primary care physician office visits that screen youth aged 12 to 18 years for depression	Yes				1121
Diabetes deaths (per 100,000)	Diabetes mellitus death rate per 100,000	Yes	Yes	Yes		50011
Diabetes education: adults with diabetes	Percent of adults with diagnosed diabetes who receive formal diabetes education	Yes	Yes			545
Diabetes long-term complications admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Diabetes long-term complications admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2038
Diabetes management benefit use: diabetetic older adults	Percent of older adults who receive Diabetes Self-Management Benefits	Yes				1263
Diabetes Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have diabetes	Yes	Yes	Yes	Yes	293
Diabetes Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have diabetes	Yes	Yes	Yes	Yes	294
Diabetes, new cases	Rate of newly diagnosed diabetes among adults aged 18-84	Yes				555
Diabetes-related deaths	Diabetes death rate	Yes				547
Diabetes: adults (percent)	Percent of adults that report having been diagnosed as having diabetes		Yes	Yes		125
Diagnosed diabetes: adults with diabetes	Percent of adults aged 20 years and older with diabetes whose condition has been diagnosed	Yes				546
Diagnosis awareness: adults aged 65 years and older with dementias	Percent of adults aged 65 years and older with diagnosed Alzheimer's disease and other dementias, or their caregiver, who are aware of the diagnosis	Yes				543
Dialysis Medicare users (number)	Medicare fee-for-service beneficiaries who used dialysis services	Yes	Yes	Yes	Yes	50005
Dialysis Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used dialysis services	Yes	Yes	Yes	Yes	50006
Dialysis Medicare visits (per 1,000 beneficiaries)	Rate of dialysis visits among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50004

Short Description	Full Description	National	State	County	HRR	HIW ID
Dilated eye examinations: adults	Percent of adults who have a comprehensive eye examination, including dilation, within the past 2 years	Yes				1566
Dioxin level: persons 12+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: 1,2,3,6,7,8-hexachlorodibenzo-p-dioxin, representative of the dioxin class	Yes				708
Disapproval of heavy drinking: 10th graders	Percent of adolescents who disapprove of having one or two alcoholic drinks nearly every day-10th graders	Yes				1445
Disapproval of heavy drinking: 8th graders	Percent of adolescents who disapprove of having one or two alcoholic drinks nearly every day-8th graders	Yes				1444
Disapproval of heavy drinking: high school seniors	Percent of adolescents who disapprove of having one or two alcoholic drinks nearly every day-12th graders	Yes				1446
Disapproval of trying marijuana: 10th graders	Percent of adolescents who disapprove of trying marijuana or hashish once or twice-10th graders	Yes				1448
Disapproval of trying marijuana: 8th graders	Percent of adolescents who disapprove of trying marijuana or hashish once or twice-8th graders	Yes				1447
Disapproval of trying marijuana: high school seniors	Percent of adolescents who disapprove of trying marijuana or hashish once or twice-12th graders	Yes				1449
Disorders diagnosed through newborn blood spot screening	Percent of children diagnosed with a disorder through newborn blood spot screening who experience developmental delay requiring special education services	Yes				1167
Domestic water use	Per capita domestic water withdrawals with respect to use and conservation	Yes				673
Drownings	Drowning death rate	Yes	Yes	Yes		1081
Drug poisoning deaths (per 100,000)	Rate per 100,000 of deaths with underlying causes of drug related poisonings	Yes	Yes	Yes		10016
Drug-induced deaths	Drug-induced death rate	Yes	Yes			1426
DTaP vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-4 doses diphtheria-tetanus-acellular pertussis (DTaP) vaccine by age 19 to 35 months	Yes	Yes			993
DTaP vaccination: kindergarteners	Vaccination coverage levels for children in kindergarten-DTaP vaccine (4 or more doses)	Yes				1003
Durable medical equipment actual Medicare costs (dollars)	Actual durable medical equipment costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50107
Durable medical equipment Medicare service events (per 1,000 beneficiaries)	Rate of durable medical equipment service events among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2026

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Durable medical equipment Medicare users (number)	Medicare fee-for-service beneficiaries who used durable medical equipment services	Yes	Yes	Yes	Yes	257
Durable medical equipment Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used durable medical equipment services	Yes	Yes	Yes	Yes	258
Durable medical equipment standardized Medicare costs (dollars)	Standardized durable medical equipment costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50108
E-code collection at hospital discharge: states	Percent of states and the District of Columbia with statewide hospital discharge data systems that routinely collect external-cause-of injury codes for 90 percent or more of injury-related discharges	Yes				1094
E-code collection in emergency department: states	Percent of states and the District of Columbia with statewide emergency department data systems that routinely collect external-cause-of injury codes for 90 percent or more of injury-related visits	Yes				1093
Ear infections, 3+ in 12 months: children (percent)	Percent of children under age 18 years who have had three or more ear infections in the last 12 months	Yes				50038
Early death: hemodialysis patients	Death rate in hemodialysis patients within the first 3 months of initiation of renal replacement therapy	Yes				464
Early infant diagnostic hearing evaluation	Percent of infants who did not pass the hearing screening that received audiologic evaluation at no later than age 3 months	Yes				757
Early intervention services: children with disabilities	Percent of children with disabilities, birth through age 2 years, who receive early intervention services in home or community-based settings	Yes				539
Early intervention services: infants with hearing loss	Percent of infants with confirmed hearing loss enrolled for intervention services no later than age 6 months	Yes				758
Eating disorders: teens	Percent of adolescents who engage in disordered eating behaviors in an attempt to control their weight	Yes	Yes			1108
Elder abuse, neglect, and exploitation information: States	Number of States-and the District of Columbia-that collect and make publicly available information on the characteristics of victims, perpetrators, and cases of elder abuse, neglect, and exploitation	Yes				1256
Electronic health records in medical practices	Percent of medical practices that use electronic health records	Yes				872
Emergency department visit rate (per 1,000 beneficiaries)	Rate among beneficiaries of inpatient or hospital outpatient emergency department visits	Yes	Yes	Yes	Yes	282
Emergency department visits (number)	Total inpatient or hospital outpatient emergency department visits	Yes	Yes	Yes	Yes	281

Short Description	Full Description	National	State	County	HRR	HIW ID
Emergency personnel response time	The time necessary to activate designated personnel in response to public health emergency in minutes	Yes				1394
Empathy about health risk: news on foodborne disease outbreaks or national disasters	Percent of crisis and emergency risk messages embedded in print and broadcast news stories that express empathy about the threat to human health	Yes				10098
Employment at indoor workplaces that prohibit smoking	Percent of persons covered by indoor worksite policies that prohibit smoking	Yes				1492
Employment: persons 16-64 years with disabilities	Employment rates among adults aged 16-64 with disabilities	Yes				516
Employment: persons with serious mental illness	Percent of persons with serious mental illness (SMI) who are employed	Yes				1116
End Stage Renal Disease Facilities (number)	Number of End Stage Renal Disease (ESRD) facilities participating in the Medicare program	Yes	Yes		Yes	10039
End-stage kidney failure due to diabetes	Incidence rate of kidney failure due to diabetes	Yes				475
End-stage kidney failure: diabetics	Incidence rate of kidney failure due to diabetes among persons with diabetes	Yes				476
End-stage renal disease	Incidence rate of end-stage renal disease (ESRD)	Yes				462
End-stage renal disease deaths: hemodialysis patients	Total death rate for persons on hemodialysis	Yes				463
Enforcement of illegal tobacco sales to minors laws: States	Illegal tobacco sales rate of <=5% to minors through enforcement of laws prohibiting the sale of tobacco products to minors-number of States and the District of Columbia	Yes	Yes			1493
Enforcement of illegal tobacco sales to minors laws: Territories	Illegal tobacco sales rate of <=5% to minors through enforcement of laws prohibiting the sale of tobacco products to minors-number of Territories	Yes				1494
Enrollment in college immediately after high school: high school completers	Percent of high school completers who were enrolled in college the October immediately after completing high school	Yes				10071
Epidemiology services: Local public health agencies	Percent of Tribal, State, and local public health agencies that provide or assure comprehensive epidemiology services to support essential public health services-Local public health agencies	Yes				10171
Epidemiology services: State public health agencies	Percent of Tribal, State, and local public health agencies that provide or assure comprehensive epidemiology services to support essential public health services-State public health agencies	Yes				1362
Escherichia coli infections	Rate of infections caused by key pathogens transmitted commonly through food: Reduction of Shiga toxin-producing Escherichia coli (STEC) O157	Yes				823

Short Description	Full Description	National	State	County	HRR	HIW ID
Estimated Poverty (percent) (Source: SAIPE)	Small area estimates of population living below the poverty line	Yes	Yes	Yes		10004
Event occurrence: news stories on foodborne disease outbreaks or national disasters	Percent of crisis and emergency risk messages embedded in print and broadcast news stories that explain how or why a crisis or emergency event happened	Yes				10096
Evidence-based tobacco control programs - States	Number of States and the District of Columbia with sustainable and comprehensive evidence-based tobacco control programs	Yes				1495
Excessive drinking: adults	Percent of adults who drank excessively in the previous 30 days	Yes				1458
Excessive drinking: adults (percent) (Source: BRFSS)	Percent of adults that report excessive drinking, either chronic high alcohol consumption or binge drinking		Yes	Yes		150
Extracurricular activities: teens aged 12-17	Percent of adolescents who participate in extracurricular and out-of-school activities	Yes				404
Eye examinations, annual: adults with diabetes	Percent of adults with diabetes who have an annual dilated eye examination	Yes				551
Fair or poor health (percent) (Source: NHIS)	Percent of persons of all ages with self-, or proxy-, reported fair or poor health	Yes				50048
Fair or poor health: adults (percent) (Source: BRFSS)	Percent of adults that report fair or poor health		Yes	Yes		5
Fall deaths, unintentional	Fall-related death rate: All persons	Yes	Yes	Yes		1079
Fall deaths: older adults	Fall-related death rate: Adults aged 65 years and over	Yes				1080
Fall ED visits: older adults	Rate of emergency department visits due to falls among older adults	Yes				1259
Falling: adults with balance/dizziness problems	Percent of adults with balance and dizziness problems who have fallen in the past 5 years while experiencing symptoms of dizziness, vertigo, or imbalance	Yes				769
Family planning clinics offering all contraception methods	Percent of publicly funded family planning clinics that offer the full range of FDA-approved methods of contraception onsite	Yes				781
Family planning clinics offering emergency contraception	Percent of publicly funded family planning clinics that offer emergency contraception onsite	Yes				782
Family planning services income eligibility: states	Number of States that set the income eligibility level for Medicaid-covered family planning services to at least the same level used to determine eligibility for Medicaid-covered, pregnancy-related care	Yes				818
Federally qualified health center & rural health center actual Medicare costs (dollars)	Actual federally qualified health center & rural health center costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50095

Short Description	Full Description	National	State	County	HRR	HIW ID
Federally qualified health center & rural health center standardized Medicare costs (dollars)	Standardized federally qualified health center & rural health center costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50096
Federally Qualified Health Center and Rural Health Clinic Medicare users (number)	Medicare fee-for-service beneficiaries who used Federally Qualified Health Center and Rural Health Clinic services	Yes	Yes	Yes	Yes	50002
Federally Qualified Health Center and Rural Health Clinic Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used Federally Qualified Health Center and Rural Health Clinic services	Yes	Yes	Yes	Yes	50003
Federally Qualified Health Center and Rural Health Clinic visits (per 1,000 beneficiaries)	Rate of Federally Qualified Health Center and Rural Health Clinic visits among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50001
Federally Qualified Health Centers (number)	Number of Federally Qualified Health Centers (FQHC) participating in the Medicare program	Yes	Yes		Yes	10040
Female Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who are female	Yes	Yes	Yes	Yes	309
Fetal alcohol syndrome	Rate of fetal alcohol syndrome (FAS)	Yes				1146
Fetal deaths	Rate of fetal deaths at 20 or more weeks of gestation	Yes				1156
Few fruits/vegetables: adults (percent)	Adults that report fewer than 5 servings of fruits/vegetables per day		Yes	Yes		121
Fibrinolytic therapy timeliness: heart attack patients	Percent of eligible patients with heart attacks who receive fibrinolytic therapy within 30 minutes of hospital arrival	Yes				878
Firearm-related deaths	Firearm-related death rate	Yes	Yes	Yes		1042
Flu vaccination: adults	Percent of adults aged 18 years and over who are vaccinated annually against seasonal influenza	Yes				10108
Flu vaccination: adults 65+ (percent) (Source: BRFSS)	Percent of adults age 65+ that report having Influenza vaccine in past 12 months		Yes	Yes		119
Flu vaccination: children 6 months-17 years	Percent of children aged 6 months through 17 years who are vaccinated annually against seasonal influenza	Yes				10107
Flu vaccination: health care personnel	Percent of health care personnel aged 18 years and over who are vaccinated annually against seasonal influenza	Yes				10109
Fluoridation of community water	Percent of the U.S. population served by community water systems with optimally fluoridated water	Yes	Yes			1265
Fluoride programs: school-based health centers	Percent of school-based health centers with an oral health component that includes topical fluoride	Yes				1286
Folic acid intake: reproductive-aged women	Percent of women of childbearing potential with intake of at least 400 µg of folic acid from fortified foods or dietary supplements	Yes				1171

Short Description	Full Description	National	State	County	HRR	HIW ID
Follow-up to newborn screening	Percent of screen-positive children who receive follow-up testing within the recommended time period	Yes				1174
Food allergy: children (percent)	Percent of children under age 18 years who have food allergies	Yes				50035
Food contact surfaces cleaned and sanitized in full-service restaurants	Proportion of full-service restaurants where food contact surfaces are properly cleaned and sanitized	Yes				10149
Food insecurity: households	Percent of households with food insecurity	Yes	Yes			1243
Food insecurity: households with children	Percent of household with children with very low food security	Yes				1228
Foot examinations, annual: adults with diabetes	Percent of adults with diabetes who have at least an annual foot examination	Yes	Yes			552
Formal training epidemiology: state epidemiologists	Percent of Tribal, State, and local public health agencies that provide or assure comprehensive epidemiology services to support essential public health services-State epidemiologists with formal training in epidemiology	Yes				1360
Formula supplementation: breastfed newborns	Percent of breastfed newborns who receive formula supplementation within the first 2 days of life	Yes	Yes			1185
Free school lunch eligibility (percent)	Percent of total students eligible to participate in the National School Lunch Program under the Free Lunch Act		Yes	Yes		10005
Fruit consumption	Mean daily intake of fruit (in cup equivalents per 1,000 calories) by persons aged 2 years and over	Yes				1217
Fruit/vegetable availability required: school districts	Percent of school districts that require schools to make fruits or vegetables available whenever other food is offered or sold.	Yes				10066
Functional limitations: older adults	Percent of older adults 65 years and over who have moderate to severe functional limitations	Yes				1245
Genetic counseling: women with family history of breast/ovarian cancer	Percent of women with a family history of breast and/or ovarian cancer who receive genetic counseling	Yes				850
Genital herpes simplex type 2: adults 20-29 years	Percent of young adults with genital herpes infection due to herpes simplex type 2	Yes				1482
Geriatric dentists	Percent of the health care workforce with geriatric certification-Dentists	Yes				1253
Geriatric dieticians	Percent of the health care workforce with geriatric certification-Registered dieticians	Yes				1255
Geriatric nurses	Percent of the health care workforce with geriatric certification-Registered nurses	Yes				1252

Short Description	Full Description	National	State	County	HRR	HIW ID
Geriatric physical therapists	Percent of the health care workforce with geriatric certification-Physical therapists	Yes				1254
Geriatric physicians	Percent of the health care workforce with geriatric certification-Physicians	Yes				1250
Geriatric psychiatrists	Percent of the health care workforce with geriatric certification-Geriatric psychiatrists	Yes				1251
Gini coefficient (ratio)	Gini coefficient of household income inequality	Yes	Yes	Yes		37
Global Disease Detection increased testing capacity	Diagnostic testing capacity in host countries and regionally through the Global Disease Detection (GDD) Regional Centers	Yes				848
Global Disease Detection Regional Centers	Number of Global Disease Detection (GDD) Regional Centers worldwide to detect and contain emerging health threats	Yes				846
Global Disease Detection training of public health professionals	Number of public health professionals trained by Global Disease Detection: Global Disease Detection (GDD) programs worldwide	Yes				847
Glucose A1c < 7%: adults with diabetes	Percent of adults with diagnosed diabetes with an HbA1c value less than 7 percent	Yes				559
Glucose A1c > 9%: adults with diabetes	Percent of adults with diagnosed diabetes with an HbA1c value greater than 9 percent	Yes				558
Glucose A1c test, biannual: adults with diabetes	Percent of adults with diabetes who have a glycosylated hemoglobin measurement at least twice a year	Yes	Yes			550
Glucose monitoring, daily: adults with diabetes	Percent of adults with diabetes who perform self-blood glucose-monitoring at least once daily	Yes	Yes			554
Gonorrhea rate (per 100,000)	Rate of gonorrhea cases per 100,000 population	Yes	Yes	Yes		10062
Gonorrhea: females 15-44 years	Gonorrhea rate among females aged 15 to 44 years	Yes				1478
Gonorrhea: males 15-44 years	Gonorrhea rate among males aged 15 to 44 years	Yes				1479
Group B streptococcal disease: newborns	Early onset group B streptococcal disease rate	Yes				973
Hay fever/respiratory allergy: children (percent)	Percent of children under age 18 who have hay fever or other respiratory allergies	Yes				50037
Hazardous material plan: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Have a plan for how to use, label, store, and dispose of hazardous materials	Yes				685
Hazardous sites posing risk	Number of hazardous sites that pose risks to human health and the environment	Yes				677
HbA1c test: diabetic Medicare beneficiaries (percent)	Percent of diabetic Medicare enrollees ages 65-75 receiving a hemoglobin A1c test in the past year	Yes	Yes	Yes	Yes	29

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Headache or migraine, severe: adults (percent)	Percent of adults aged 18 and over with pain during the past 3 months due to severe headache or migraine	Yes				50039
Health care evaluation: adults with balance/dizziness problems	Percent of adults with balance or dizziness problems in the past 12 months who have ever seen a Health Care provider about their balance or dizziness problems	Yes				762
Health care evaluation: adults with tinnitus	Percent of adults bothered by tinnitus in the past 12 months who have seen a doctor	Yes				759
Health care provider asks how instructions will be followed	Percent of persons who report their health care provider always asked them to describe how they will follow the instructions	Yes				861
Health care provider explaining things	Percent of persons who report that their Health Care provider always explained things so they could understand them	Yes				854
Health care provider listening skills	Percent of persons who report that their Health Care provider always listened carefully to them	Yes				853
Health care provider offers help in filling out forms	Percent of persons who report their health care providers' office always offered help in filling out a form	Yes				862
Health care provider referrals to hearing specialists	Rate of persons who are referred by their primary care physician or other health care provider for hearing evaluation and treatment	Yes				751
Health care provider showing respect	Percent of persons who report that their Health Care provider always showed respect for what they had to say	Yes				855
Health care provider spending enough time with patient	Percent of persons who report that their health care provider always spent enough time with them	Yes				856
Health care provider uses understandable instructions	Percent of persons who report their health care provider always gave them easy-to-understand instructions about what to do to take care of their illness or health condition	Yes				860
Health ed. certification requirements: elementary school	Percent of schools that require newly hired staff who teach required health instruction to be certified, licensed, or endorsed by the State in health education-Elementary schools	Yes				731
Health ed. certification requirements: high school	Percent of schools that require newly hired staff who teach required health instruction to be certified, licensed, or endorsed by the State in health education-High schools	Yes				733

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Health ed. certification requirements: middle school	Percent of schools that require newly hired staff who teach required health instruction to be certified, licensed, or endorsed by the State in health education-Middle schools	Yes				732
Health ed. goals, advocacy: schools	Percent of elementary, middle, and senior high schools that have health education goals or objectives that address the knowledge and skills articulated in the National Health Education Standards (high school, middle, elementary)-Advocating for personal, family, and community health (skills)	Yes				638
Health ed. goals, communication skills: schools	Percent of elementary, middle, and senior high schools that have health education goals or objectives that address the knowledge and skills articulated in the National Health Education Standards (high school, middle, elementary)-Using interpersonal communication skills to enhance health (skills)	Yes				642
Health ed. goals, concept comprehension: schools	Percent of elementary, middle, and senior high schools that have health education goals or objectives that address the knowledge and skills articulated in the National Health Education Standards (high school, middle, elementary)-Comprehending concepts related to health promotion and disease prevention (knowledge)	Yes				636
Health ed. goals, decision-making skills: schools	Percent of elementary, middle, and senior high schools that have health education goals or objectives that address the knowledge and skills articulated in the National Health Education Standards (high school, middle, elementary)-Using goal-setting and decision-making skills to enhance health (skills)	Yes				641
Health ed. goals, external influences: schools	Percent of elementary, middle, and senior high schools that have health education goals or objectives that address the knowledge and skills articulated in the National Health Education Standards (high school, middle, elementary)-Analyzing the influence of culture, media, technology, and other factors on health (skills)	Yes				639

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Health ed. goals, healthy behaviors: schools	Percent of elementary, middle, and senior high schools that have health education goals or objectives that address the knowledge and skills articulated in the National Health Education Standards (high school, middle, elementary)- Practicing health-enhancing behaviors and reducing health risks (skills)	Yes				640
Health ed. goals, information access: schools	Percent of elementary, middle, and senior high schools that have health education goals or objectives that address the knowledge and skills articulated in the National Health Education Standards (high school, middle, elementary)- Accessing valid information and health promoting products and services (skills)	Yes				637
Health ed. teachers trained in behavior change	Percent of required health education classes or courses with a teacher who has had professional development related to teaching personal and social skills for behavior change within the past 2 years	Yes				737
Health ed. training requirements: elementary schools	Percent of schools that require newly hired staff who teach required health education to have undergraduate or graduate training in health education-Elementary schools	Yes				728
Health ed. training requirements: high schools	Percent of schools that require newly hired staff who teach required health education to have undergraduate or graduate training in health education-High schools	Yes				730
Health ed. training requirements: middle schools	Percent of schools that require newly hired staff who teach required health education to have undergraduate or graduate training in health education-Middle schools	Yes				729
Health education, alcohol/drug use: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in alcohol and other drug use	Yes				571
Health education, all priority areas: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in All priority areas	Yes				566
Health education, benefits of sleep: schools	Percent of elementary, middle, and senior high schools that provide school health education to promote personal health and wellness-Benefits of rest and sleep	Yes				656

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Health education, growth & development: schools	Percent of elementary, middle, and senior high schools that provide school health education to promote personal health and wellness-Growth and development	Yes				654
Health education, hand washing info: schools	Percent of elementary, middle, and senior high schools that provide school health education to promote personal health and wellness-Hand washing or hand hygiene	Yes				652
Health education, health screening: schools	Percent of elementary, middle, and senior high schools that provide school health education to promote personal health and wellness-Importance of health screenings and checkups	Yes				658
Health education, injury prevention: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in unintentional injury	Yes				567
Health education, nutrition: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in unhealthy dietary patterns	Yes				573
Health education, oral health: schools	Percent of elementary, middle, and senior high schools that provide school health education to promote personal health and wellness-Dental and oral health	Yes				653
Health education, physical activity: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in inadequate physical activity	Yes				574
Health education, pregnancy, HIV/AIDS, STD: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in unintended pregnancy, HIV/AIDS, and STD infection	Yes				572
Health education, suicide prevention: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in suicide	Yes				569
Health education, tobacco use: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in tobacco use and addiction	Yes				570

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Health education, violence prevention: schools	Percent of elementary, middle, and senior high schools that provide comprehensive school health education to prevent health problems in violence	Yes				568
Health education, vision & hearing loss prevention: schools	Percent of elementary, middle, and senior high schools that provide school health education to promote personal health and wellness-Ways to prevent vision and hearing loss	Yes				657
Health educations, sun safety: schools	Percent of elementary, middle, and senior high schools that provide school health education to promote personal health and wellness-Sun safety or skin cancer prevention	Yes				655
Health information, alcohol/drug: post-secondary schools	Percent of college and university students who receive information from their institution on alcohol and other drug use	Yes				580
Health information, HIV & STD: post-secondary schools	Percent of college and university students who receive information from their institution on HIV, AIDS and STD infection	Yes				582
Health information, injury: post-secondary schools	Percent of college and university students who receive information from their institution on unintentional injury	Yes				576
Health information, nutrition: post-secondary schools	Percent of college and university students who receive information from their institution on unhealthy dietary patterns	Yes				583
Health information, physical activity: post-secondary schools	Percent of college and university students who receive information from their institution on inadequate physical activity	Yes				584
Health information, suicide: post-secondary schools	Percent of college and university students who receive information from their institution on suicide	Yes				578
Health information, tobacco use: post-secondary schools	percent of college and university students who receive information from their institution on tobacco use and addiction	Yes				579
Health information, unintended pregnancy: post-secondary schools	Percent of college and university students who receive information from their institution on unintended pregnancy	Yes				581
Health information, violence: post-secondary schools	Percent of college and university students who receive information from their institution on violence	Yes				577
Health instruction meets time standards: elementary schools	Percent of schools that require cumulative instruction in health education that meet the US National Health Education Standards for elementary, middle, and senior high schools-Elementary schools	Yes				734

Short Description	Full Description	National	State	County	HRR	HIW ID
Health instruction meets time standards: high schools	Percent of schools that require cumulative instruction in health education that meet the US National Health Education Standards for elementary, middle, and senior high schools- High schools	Yes				736
Health instruction meets time standards: middle schools	Percent of schools that require cumulative instruction in health education that meet the US National Health Education Standards for elementary, middle, and senior high schools- Middle schools	Yes				735
Health insurance coverage, through workplace: persons <65 (percent)	Percent of persons under age 65 who have private health insurance coverage obtained through the workplace	Yes				50056
Health insurance, none: <65 years (percent) (Source: SAHIE)	Percent of persons under 65 years of age without health insurance		Yes	Yes		23
Health insurance, none: persons <65 (percent) (Source: NHIS)	Percent of persons under age 65 with no health insurance coverage	Yes				50058
Health insurance: <65 years	Percent of persons under age 65 years with health (medical) insurance	Yes				368
Health promotion programs for caregivers: States	States and the District of Columbia with health promotion programs for caregivers	Yes				529
Health promotion programs for people with disabilities: States	States and the District of Columbia with health promotion programs for people with disabilities	Yes				527
Health provider seen: adults with joint-related symptoms	Percent of adults with chronic joint symptoms who have seen a health care provider for their symptoms	Yes				425
Health websites following established usability principles	Percent of health-related Websites that follow established usability principles	Yes				864
Health websites meeting 3+ criteria to assess reliability	Percent of health-related Websites that meet three or more evaluation criteria disclosing information that can be used to assess information reliability	Yes				863
Healthy food outlets (percent)	Percent of zip codes in county with a healthy food outlet			Yes		48
Healthy weight prior to pregnancy	Percent of women delivering a live birth who had a healthy weight prior to pregnancy	Yes				1182
Healthy weight: adults	Percent of adults who are at a healthy weight	Yes				1207
Hearing aid use: adults 20-69 years	Rate of adults aged 20 to 69 years with hearing loss who have ever used a hearing aid	Yes				744
Hearing aid use: adults 70+	Rate of adults aged 70 years and older with hearing loss who have ever used a hearing aid	Yes				746
Hearing loss, noise-induced, work-related	Rate of work-related, noise-induced hearing loss	Yes				1302

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Hearing loss, noise-induced: adults	Rate of adults who have elevated hearing thresholds, or audiometric notches, in high frequencies (3, 4, or 6 kHz) in both ears, signifying noise-induced hearing loss	Yes				755
Hearing loss, noise-induced: teens	Rate of adolescents who have elevated hearing thresholds, or audiometric notches, in high frequencies (3, 4, or 6 kHz) in both ears, signifying noise-induced hearing loss	Yes				754
Heart attack awareness: importance of calling 911	Percent of adults aged 20 years and over who are aware of the importance of accessing rapid emergency care by calling 9-1-1 or another emergency number	Yes				896
Heart attack awareness: symptoms	Percent of adults aged 20 years and over who are aware of the early warning symptoms and signs of a heart attack	Yes				895
Heart attack awareness: symptoms and importance of 911	Percent of adults aged 20 years and over who are aware of the early warning symptoms and signs of a heart attack and the importance of accessing rapid emergency care by calling 9-1-1 or another emergency number	Yes				894
Heart attack Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have had a heart attack	Yes	Yes	Yes	Yes	283
Heart attack Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have had a heart attack	Yes	Yes	Yes	Yes	284
Heart disease deaths (per 100,000)	Heart disease death rate	Yes	Yes	Yes		83
Heart disease prevalence: adults (percent)	Respondent-reported prevalence of heart disease among adults aged 18 and over	Yes				50044
Heart failure hospitalizations: Medicare beneficiaries 65-74 years	Rate of hospitalizations of older adults with heart failure as the principal diagnosis-Adults aged 65 to 74 years	Yes				891
Heart failure hospitalizations: Medicare beneficiaries 75-84 years	Rate of hospitalizations of older adults with heart failure as the principal diagnosis-Adults aged 75 to 84 years	Yes				892
Heart failure hospitalizations: Medicare beneficiaries 85+ years	Rate of hospitalizations of older adults with heart failure as the principal diagnosis-Adults aged 85 years and over	Yes				893
Heart failure Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have heart failure	Yes	Yes	Yes	Yes	295
Heart failure Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have heart failure	Yes	Yes	Yes	Yes	296
Hepatitis A	Hepatitis A rate	Yes				967

Short Description	Full Description	National	State	County	HRR	HIW ID
Hepatitis A vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-2 doses hepatitis A vaccine by age 19 to 35 months	Yes	Yes			1000
Hepatitis B vaccination: health care workers	Percent of Hepatitis B vaccine coverage among high-risk populations-Health care personnel	Yes				1016
Hepatitis B vaccination: kindergarteners	Vaccination coverage levels for children in kindergarten-Hepatitis B vaccine (3 or more doses)	Yes				1006
Hepatitis B: adults	Rate of new hepatitis B infections in adults aged 19 and older	Yes				988
Hepatitis B: children	Rate of new hepatitis B cases among persons aged 2 to 18 years	Yes				980
Hepatitis B: injection drug users	Number of new hepatitis B infections among high-risk populations: Injection drug users	Yes				989
Hepatitis B: men who have sex with men	Number of new hepatitis B infections among high-risk populations: Men who have sex with men	Yes				991
Hepatitis C	Rate of new hepatitis C infections	Yes				992
Hepatitis C infection status awareness	Percent of persons aware they have a hepatitis C infection	Yes				1022
HepB vaccination, birth dose	Percent of young children who have received universally recommended vaccines-A birth dose of hepatitis B vaccine (0 to 3 days between birth date and date of vaccination, reported by annual birth cohort)	Yes	Yes			1001
HepB vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-3 doses hepatitis B (HepB) vaccine by age 19 to 35 months	Yes	Yes			995
Hib invasive disease: children <5 years	Rate of serotype b cases of Haemophilus influenzae (Hib) invasive disease (children aged under 5 years)	Yes				979
Hib vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-3 doses or more Haemophilus influenzae type b (Hib) vaccine by age 19 to 35 months	Yes	Yes			994
High blood cholesterol: adults with chronic kidney disease	Percent of adults with chronic kidney disease who have elevated lipid levels	Yes				481
High blood pressure: adults 18+ (percent) (Source: BRFSS)	Percent of adults that report having been diagnosed with high blood pressure		Yes	Yes		123
High cholesterol Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have high cholesterol	Yes	Yes	Yes	Yes	50018
High cholesterol Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have high cholesterol	Yes	Yes	Yes	Yes	50023

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
High school completion: adults 18-24 years	Percent of persons aged 18-24 that completes high school education	Yes				565
High school diploma: students with disabilities	Percent of students who are served under the Individuals with Disabilities Education Act who graduate high school with a diploma	Yes				395
High school graduates, on-time with regular diploma	Percent of public school students who graduate with a regular diploma 4 years after starting 9th grade	Yes				394
High serum cholesterol: adults	Percent of adults with high total blood cholesterol levels	Yes				885
High-tech tax stamps on cigarette packs	Number of states requiring high-tech tax stamps on packs of cigarettes	Yes				10157
Hip fractures: female older adults	Hip fracture hospitalization rate among females aged 65 years and over	Yes				429
Hip fractures: male older adults	Hip fracture hospitalization rate among males aged 65 years and over	Yes				430
Hispanic Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who are Hispanic	Yes	Yes	Yes	Yes	313
HIV deaths	HIV infection mortality rate	Yes	Yes	Yes		935
HIV infection status awareness	Percent of HIV-infected persons who are aware of their infection	Yes				942
HIV infections, new: persons 13+ years	New (incident) HIV infections among persons aged 13 years and over	Yes				960
HIV prevalence (per 100,000)	Rate of adolescents and adults aged 13 years and over living with HIV	Yes	Yes	Yes		10018
HIV testing: men who have sex with men	Percent of men who have sex with men (MSM) who have been tested for HIV in the past 12 months	Yes				945
HIV testing: persons 15-44 years	Percent of adolescents and adults who have ever been tested for HIV	Yes				10167
HIV testing: pregnant women	Percent of pregnant women who have been tested for HIV during their pregnancy	Yes				946
HIV testing: TB patients	Percent of adults with tuberculosis (TB) who have been tested for HIV	Yes				934
HIV transmission rate: persons living with HIV	Rate of HIV transmission per 100 persons with HIV among adolescents and adults	Yes				959
HIV, perinatally acquired	Number of newly diagnosed perinatally acquired HIV cases	Yes				938
HIV/AIDS education: substance abuse treatment	Percent of substance abuse treatment facilities that offer HIV/AIDS education, counseling, and support	Yes				933

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
HIV/AIDS prevention discussion with parent before age 18: females	Percent of adolescents females who talked to a parent or guardian about HIV/AIDS prevention before they were 18 years old	Yes				814
HIV/AIDS prevention discussion with parent before age 18: males	Percent of adolescents males who talked to a parent or guardian about HIV/AIDS prevention before they were 18 years old	Yes				815
HIV/AIDS prevention instruction before age 18: females	Percent of adolescents females who received formal instruction on HIV/AIDS prevention before they were 18 years old	Yes				806
HIV/AIDS prevention instruction before age 18: males	Percent of adolescents males who received formal instruction on HIV/AIDS prevention before they were 18 years old	Yes				807
Home health actual Medicare costs (dollars)	Actual home health costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50089
Home Health Agencies (number)	Number of Home Health Agencies participating in the Medicare program	Yes	Yes		Yes	10041
Home health Medicare episodes (per 1,000 beneficiaries)	Average number of home health episodes among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2018
Home health Medicare users (number)	Medicare fee-for-service beneficiaries who used home health services	Yes	Yes	Yes	Yes	221
Home health Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used home health services	Yes	Yes	Yes	Yes	222
Home health Medicare visits (per 1,000 beneficiaries)	Average number of home health visits among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2017
Home health standardized Medicare costs (dollars)	Standardized home health costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50090
Homes with dust-lead hazards	Number of U.S. homes that are found to have lead-based paint or related hazards: Number of US homes that have dust-lead hazards	Yes				723
Homes with lead paint hazards	Number of U.S. homes that are found to have lead-based paint or related hazards: Number of US homes that have paint-lead hazards	Yes				722
Homes with lead-based paint	Number of U.S. homes that are found to have lead-based paint or related hazards: Number of US homes that are found to have lead-based paint	Yes				721
Homes with soil-lead hazards	Number of U.S. homes that are found to have lead-based paint or related hazards: Number of US homes that have soil-lead hazards	Yes				724
Homicide deaths	Homicide mortality rate	Yes	Yes	Yes		1041
Homicides, work-related	Number of deaths due to work-related homicides	Yes				1299

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Hospice actual Medicare costs (dollars)	Actual hospice actual Medicare costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50091
Hospice Facilities (number)	Number of Hospice Facilities participating in the Medicare program	Yes	Yes		Yes	10042
Hospice Medicare admissions (per 1,000 beneficiaries)	Rate of hospice admissions among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2007
Hospice Medicare days (per 1,000 beneficiaries)	Average number of hospice days among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2015
Hospice Medicare users (number)	Medicare fee-for-service beneficiaries who had covered hospice services	Yes	Yes	Yes	Yes	227
Hospice Medicare utilization (percent)	Medicare fee-for-service beneficiaries who had covered hospice services	Yes	Yes	Yes	Yes	228
Hospice standardized Medicare costs (dollars)	Standardized hospice costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50092
Hospital inpatient actual Medicare costs (dollars)	Actual hospital inpatient costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50081
Hospital inpatient Medicare admissions (per 1,000 beneficiaries)	Rate of hospital inpatient admissions among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2001
Hospital inpatient Medicare days (per 1,000 beneficiaries)	Average number of hospital inpatient (IP) days among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2009
Hospital inpatient Medicare users (number)	Medicare fee-for-service beneficiaries who had covered hospital inpatient services	Yes	Yes	Yes	Yes	160
Hospital inpatient Medicare utilization (percent)	Medicare fee-for-service beneficiaries who had covered hospital inpatient services	Yes	Yes	Yes	Yes	161
Hospital inpatient standardized Medicare costs (dollars)	Standardized hospital inpatient costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50082
Hospital outpatient actual Medicare costs (dollars)	Actual hospital outpatient costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50093
Hospital outpatient Medicare users (number)	Medicare fee-for-service beneficiaries who used hospital outpatient services	Yes	Yes	Yes	Yes	187
Hospital outpatient Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used hospital outpatient services	Yes	Yes	Yes	Yes	188
Hospital outpatient Medicare visits (per 1,000 beneficiaries)	Rate of hospital outpatient visits among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2019
Hospital outpatient standardized Medicare costs (dollars)	Standardized hospital outpatient costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50094
Hospitals reporting adverse drug events	Percent of medical-surgical hospitals that report adverse drug events	Yes				1196
Housing > 50% of income: households	Percent of all households that spend more than 50% of income on housing	Yes				10105

Short Description	Full Description	National	State	County	HRR	HIW ID
Housing > 50% of income: renter households	Percent of renter households that spend more than 50% of income on housing	Yes				10106
Housing 30% of income: households	Percent of all households that spend more than 30% of income on housing	Yes				10103
Housing 30% of income: poor households	Percent of households earning less than 200% of the poverty threshold that spend more than 30% of income on housing	Yes				10104
Housing units with physical problems	Percent of occupied housing units that have moderate or severe physical problems	Yes				663
HPV vaccination: girls 13-15 years	Percent of female adolescents who have 3 doses human papillomavirus (HPV) vaccine by age 13 to 15 years	Yes	Yes			1013
HPV vaccination: males 13-15 years	Percent of males aged 13-15 years who have 3 doses human papillomavirus (HPV) vaccine	Yes	Yes			10136
Hypertension admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Hypertension admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2040
Hypertension Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have hypertension	Yes	Yes	Yes	Yes	50009
Hypertension Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have hypertension	Yes	Yes	Yes	Yes	50010
Hypertension medication compliance (percent)	Percent of adults with hypertension who are taking the prescribed medications to lower their blood pressure	Yes				912
Hypertension: adults	Percent of adults with hypertension	Yes				897
Hypertension: adults with chronic kidney disease	Percent of adults with chronic kidney disease who have elevated blood pressure	Yes				480
Hypertension: children 8-17 years	Percent of children and adolescents with hypertension	Yes				898
Identification of "people with disabilities" in data systems	Number of major applicable Healthy People 2020 data systems with a standardized set of questions that identify "people with disabilities"	Yes				513
Illegal drugs on school property	Percent of adolescents who have been offered, sold, or given an illegal drug on school property	Yes	Yes			411
Illicit drug abstinence, prenatal	Abstinence from alcohol, cigarettes, and illicit drugs among pregnant women-Illicit drugs	Yes				1145
Illicit drug treatment receipt	Percent of persons who need illicit drug treatment and received specialty treatment for abuse or dependence in the past year-Illicit drug treatment	Yes				1454
Illicit drugs, never use: high school seniors	Percent of high school seniors never using substances-Illicit drugs	Yes				1431

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Illicit drugs, recent use: adults	Percent of adults reporting use of any illicit drug during the past 30 days	Yes				1434
Illicit drugs, recent use: teens	Percent of adolescents reporting use of alcohol or any illicit drugs during the past 30 days	Yes				1432
Imaging actual Medicare costs (dollars)	Actual imaging costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50105
Imaging Medicare service events (per 1,000 beneficiaries)	Rate of imaging service events among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2023
Imaging Medicare users (number)	Medicare fee-for-service beneficiaries who used imaging services	Yes	Yes	Yes	Yes	251
Imaging Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used imaging services	Yes	Yes	Yes	Yes	252
Imaging standardized Medicare costs (dollars)	Standardized imaging costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50106
Immunization information system participation: States	Number of States, the District of Columbia, and other reporting areas that have 80 percent of adolescents with 2 or more age-appropriate immunizations recorded in an immunization information system (IIS) among adolescents aged 11 to 18 years	Yes				1025
Impaired fecundity: women 18-44 years	Percent of women aged 18 to 44 years who have impaired fecundity	Yes				1193
Improvement plan development: health emergencies/exercises	Time reported for State public health agencies to establish improvement plans following responses to public health emergencies and exercises in minutes	Yes				1397
Inability to obtain medical/dental care or prescriptions	Percent of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines	Yes				379
Inability to obtain or delayed dental care	Percent of individuals who are unable to obtain or delay in obtaining necessary dental care	Yes				381
Inability to obtain or delayed medical care	Percent of individuals who are unable to obtain or delay in obtaining necessary medical care	Yes				380
Inability to obtain or delayed prescription meds	Percent of individuals who are unable to obtain or delay in obtaining necessary prescription medicines	Yes				382
Inappropriate medication use: older adults with disabilities	percent of older adults with disabilities who use inappropriate medications	Yes				537
Incentive policies for food retail: states	Number of states and the District of Columbia that have state-level policies that incentivize food retail outlets to provide foods that are encouraged by the Dietary Guidelines	Yes				1239

Short Description	Full Description	National	State	County	HRR	HIW ID
Inclusion in regular education: students with disabilities	Percent of children and youth with disabilities in classroom settings who spend at least 80 percent of their time in regular education programs	Yes				517
Increasing physical activity: adults pre-diabetes	Percent of persons at high risk for diabetes (with pre-diabetes) who report increasing their levels of physical activity	Yes				562
Indoor allergen levels, cockroach	Indoor allergen levels: cockroach	Yes				679
Indoor allergen levels, mouse	Indoor allergen levels: mouse	Yes				680
Infant deaths between 28 days-1 year	Rate of postneonatal deaths (between 28 days and 1 year)	Yes	Yes	Yes		1160
Infant deaths due to birth defects	Rate of infant deaths related to birth defects (all birth defects)	Yes				1161
Infant deaths within first 28 days of life	Rate of neonatal deaths (within the first 28 days of life)	Yes	Yes	Yes		1159
Infant deaths, all	Rate of all infant deaths (within 1 year)	Yes	Yes	Yes		1158
Infant deaths: congenital heart defects	Rate of infant deaths related to birth defects (congenital heart defects)	Yes				1162
Infant deaths: sudden infant death syndrome	Rate of infant deaths from sudden infant death syndrome (SIDS)	Yes				1163
Infant deaths: sudden unexpected/unexplained causes	Rate of infant deaths from sudden unexpected/unexplained causes (includes SIDS, Unknown Cause, Accidental Suffocation, and Strangulation in Bed)	Yes				1164
Infants put to sleep on their backs	Percent of infants who are put down to sleep on their backs	Yes				1141
Influenza and pneumonia deaths (per 100,000)	Influenza and pneumonia death rate per 100,000	Yes	Yes	Yes		50013
Influenza-virus resistance to antivirals monitoring: States	Number of public health laboratories monitoring influenza-virus resistance to antiviral agents	Yes				1028
Information systems used for environmental health: states	Quality, utility, awareness, and use of existing information systems for environmental health among states	Yes				664
Inhalant use: teens	Percent of adolescents who use inhalants	Yes				1443
Injection drug use admissions	Number of admissions to substance abuse treatment for injection drug use	Yes				1453
Injuries due to falls: adults with balance/dizziness problems	Percent of adults with balance and dizziness problems who have been injured as a result of a fall for any reason in the past 12 months	Yes				770
Injuries, non-fatal, work-related	Rate of injuries in private sector industries resulting in medical treatment, lost time from work, or restricted work activity, as reported by employers	Yes				1308

Short Description	Full Description	National	State	County	HRR	HIW ID
Injuries, nonfatal unintentional	Nonfatal unintentional injury rate	Yes				1075
Injuries, sports and recreation	Sports and recreation injury rate	Yes				1098
Injuries, treated in ED, non-fatal, work-related	Rate of injuries treated in emergency departments from work, or restricted work activity, as reported by employers	Yes				1309
Injuries, treated in ED, non-fatal, work-related: teens	Rate of nonfatal work-related injuries among dolescent workers aged 15 to 19 years	Yes				1310
Injury deaths	Injury death rate	Yes	Yes	Yes		1071
Injury deaths, unintentional	Unintentional injury death rate	Yes	Yes	Yes		1074
Injury deaths, work-related, all industries	Rate of work-related injury deaths - All industry	Yes				1303
Injury deaths, work-related, construction	Rate of work-related injury deaths - Construction	Yes				1305
Injury deaths, work-related, farming/forestry/fishing/hunting	Rate of work-related injury deaths - Agriculture, forestry, fishing, and hunting	Yes				1307
Injury deaths, work-related, mining	Rate of work-related injury deaths - Mining	Yes				1304
Injury deaths, work-related, transportation/warehousing: persons 16+ years	Rate of work-related injury deaths - Transportationand warehousing: persons 16+ years	Yes				1306
Injury ED visits	Rate of emergency department visits for nonfatal injuries	Yes				1073
Injury hospitalizations	Hospitalization rate for nonfatal injuries	Yes				1072
Injury prevention: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in injury	Yes				596
Inpatient rehab Medicare users (number)	Medicare fee-for-service beneficiaries who had covered inpatient rehabilitation facility services	Yes	Yes	Yes	Yes	207
Inpatient rehab Medicare utilization (percent)	Medicare fee-for-service beneficiaries who had covered inpatient rehabilitation facility services	Yes	Yes	Yes	Yes	208
Inpatient rehabilitation facility actual Medicare costs (dollars)	Actual inpatient rehabilitation facility costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50085
Inpatient rehabilitation facility Medicare admissions (per 1,000 beneficiaries)	Rate of inpatient rehabilitation facility (IRF) admissions among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2005
Inpatient rehabilitation facility Medicare days (per 1,000 beneficiaries)	Average number of inpatient rehabilitation facility (IRF) days among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2013
Inpatient rehabilitation facility standardized Medicare costs (dollars)	Standardized inpatient rehabilitation facility costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50086

Short Description	Full Description	National	State	County	HRR	HIW ID
Inspection of drinking water for bacteria: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Among schools with community water systems, test drinking water for bacteria	Yes				690
Inspection of drinking water for coliforms: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Among schools with community water systems, test drinking water for coliforms	Yes				691
Inspection of drinking water for lead: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Test drinking water outlets for lead	Yes				689
Intended pregnancies	Percent of pregnancies that are intended	Yes				779
Internet access	Percent of persons with access to the Internet	Yes				857
Internet use to communicate with providers	Percent of persons who use the Internet to communicate with their provider	Yes				868
Internet use to track personal health information	Percent of persons who use the Internet to keep track of personal health information, such as care received, test results, or upcoming medical appointments	Yes				867
Interprofessional experiences: schools with health professions education programs	Percent of academic institutions with health professions education programs whose prevention curricula include interprofessional educational experiences	Yes				10087
Invasive colorectal cancer	Invasive colorectal cancer incidence	Yes	Yes			509
Invasive pneumococcal infections: children <5 years	Rate of new invasive pneumococcal infections among children under age 5 years	Yes				963
Invasive pneumococcal infections: older adults	Rate of new invasive pneumococcal infections among adults aged 65 years and older	Yes				964
Invasive uterine cervical cancer: females	Invasive uterine cervical cancer incidence	Yes	Yes			510
Involvement in health care decision making	Percent of persons who report that their health care providers always involved them in decisions about their health care as much as they wanted	Yes				866
Iron deficiency: children 1-2 years	Percent of young children aged 1 to 2 years who are iron deficient	Yes				1209
Iron deficiency: children 3-4 years	Percent of young children aged 3 to 4 years who are iron deficient	Yes				1210

Short Description	Full Description	National	State	County	HRR	HIW ID
Iron deficiency: females of childbearing age	Percent of females of childbearing age, aged 12 to 49 years, who are iron deficient	Yes				1211
Iron deficiency: pregnant females	Percent of pregnant females who are iron deficient	Yes				1212
Ischemic heart disease Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have ischemic heart disease	Yes	Yes	Yes	Yes	297
Ischemic heart disease Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have ischemic heart disease	Yes	Yes	Yes	Yes	298
Joint difficulty grasping: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who find it “very difficult” to perform specific joint-related activities-Use fingers to grasp or handle small objects	Yes				434
Joint difficulty stooping/bending/ kneeling: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who find it “very difficult” to perform specific joint-related activities-Stoop, bend, or kneel	Yes				433
Joint difficulty walking 3 blocks: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who find it “very difficult” to perform specific joint-related activities-Walk a quarter of a mile-about 3 city blocks	Yes				431
Joint difficulty walking up 10 steps: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who find it “very difficult” to perform specific joint-related activities-Walk up 10 steps without resting	Yes				432
Joint pain: adults with arthritis	Mean level of joint pain among adults with doctor-diagnosed arthritis	Yes				418
Kidney diseases deaths (per 100,000)	Nephritis, nephrotic syndrome, and nephrosis (kidney diseases) death rate per 100,000	Yes	Yes	Yes		50014
Kidney transplantation within 3 years: hemodialysis patients	Percent of patients receiving a kidney transplant within 3 years of end-stage renal disease (ESRD)	Yes				473
Kidney waitlist/transplantation: hemodialysis patients < 70 years	Percent of hemodialysis patients wait-listed and/or receiving a deceased donor kidney transplant within 1 year of end-stage renal disease (ESRD) start among patients under 70 years of age	Yes				472
Kindergarten vaccination record keeping: States	Number of States collecting kindergarten vaccination coverage data according to CDC minimum standards	Yes				1026
Known health risks: news on foodborne disease outbreaks or national disasters	Percent of crisis and emergency risk messages embedded in print and broadcast news stories that explain what is known about the threat to human health	Yes				10094
Laboratories assuring a competent health care workforce: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in assuring a competent public and personal health care workforce	Yes				10118

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Laboratories develop policies and plans for health efforts: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in developing policies and plans that support individual and community health efforts	Yes				10115
Laboratories educate people about health issues: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality with respect to informing, educating, and empowering people about health issues	Yes				10113
Laboratories enforcement of laws and regulations to protect health: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in the enforcement of laws and regulations that protect health and ensure safety	Yes				10116
Laboratories evaluating health services: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in evaluating effectiveness, accessibility, and quality of personal and population-based health services	Yes				10119
Laboratories linking to personal health services: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in linking people to needed personal health services and assure the provision of health care when otherwise unavailable	Yes				10117
Laboratories mobilize community partnerships: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in mobilizing community partnerships and action to identify and solve health problems.	Yes				10114
Laboratories monitor health status: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in the monitoring of health status to identify and solve community health problems	Yes				10111
Laboratories support data management: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Integrated data management	Yes				1350
Laboratories support disease prevention/control: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Disease prevention, control, and surveillance	Yes				1349

Short Description	Full Description	National	State	County	HRR	HIW ID
Laboratories support emergency response: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Emergency response	Yes				1356
Laboratories support environmental health: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Environmental health and protection	Yes				1352
Laboratories support food safety: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Food safety	Yes				1353
Laboratories support health research: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Public health-related research	Yes				1357
Laboratories support innovative research: States	Percent of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in supporting research into new insights and innovative solutions to health problems	Yes				10120
Laboratories support investigating community health problems: States	Proportion of public health laboratory systems (including State, Tribal, and Local) that perform at a high level of quality in support of diagnosing and investigating health problems and health hazards in the community	Yes				10112
Laboratories support lab improvement: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Laboratory improvement and regulation	Yes				1354
Laboratories support partnerships: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Partnerships and communication	Yes				1359
Laboratories support policy development: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Policy development	Yes				1355
Laboratories support reference & specialized testing: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Reference and specialized testing	Yes				1351

Short Description	Full Description	National	State	County	HRR	HIW ID
Laboratories support training/education: States	Percent of Tribal and State public health agencies that provide or assure comprehensive laboratory services to support essential public health services-Training and education	Yes				1358
Laboratory proficiency, chemical threat agents	Percent of LRN chemical laboratories that meet proficiency standards for chemical threat agents	Yes				1396
Lack of leisure-time physical activity: adults	Percent of adults who engage in no leisure-time physical activity	Yes				1313
Lactation care in birthing facilities	Percent of live births that occur in facilities that provide recommended care for lactating mothers and their babies	Yes				1186
Late HIV diagnosis: persons 13+ years	Percent of new HIV infections diagnosed before progression to AIDS among persons aged 13 years and over	Yes				936
Late-stage breast cancer: females	Late-stage female breast cancer incidence	Yes	Yes			511
Lead level	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: lead	Yes				697
Lead levels: children 1-5 years	Mean blood lead levels in children	Yes				676
Lead poisoning monitoring: states	Number of States, Territories, and the District of Columbia that monitor diseases or conditions that can be caused by exposure to environmental hazards: Lead poisoning	Yes				713
Lead, elevated level, work-related	Rate of elevated blood lead concentrations from work exposures among adults	Yes				1300
Leisure-time physical activity: older adults	Percent of older adults with reduced physical or cognitive function who engage in light, moderate, or vigorous leisure-time physical activities	Yes				1258
Limitation of activity: adults with balance/dizziness problems	Percent of adults with balance and dizziness problems in the past 12 months who were prevented from doing regular activities within the home or outside	Yes				767
Lipids under control: adults with diabetes	Lipid control among persons with diagnosed diabetes	Yes				561
Liquor stores (per 10,000)	Liquor store density rate	Yes	Yes	Yes		51
Listeria monocytogenes infections	Rate of infections caused by key pathogens transmitted commonly through food: Reduction in infections caused by Listeria monocytogenes	Yes				824
Long term care hospital actual Medicare costs (dollars)	Actual long term care hospital costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50083

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Long term care hospital Medicare admissions (per 1,000 beneficiaries)	Rate of long term care (LTC) hospital admissions among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2006
Long term care hospital Medicare days (per 1,000 beneficiaries)	Average number of long term care (LTC) hospital days among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2014
Long term care hospital Medicare users (number)	Medicare fee-for-service beneficiaries who had covered long-term care hospital services	Yes	Yes	Yes	Yes	200
Long term care hospital Medicare utilization (percent)	Medicare fee-for-service beneficiaries who had covered long-term care hospital services	Yes	Yes	Yes	Yes	201
Long term care hospital standardized Medicare costs (dollars)	Standardized long term care hospital costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50084
Long-Term Care Hospitals (number)	Number of long-term care hospitals participating in the Medicare program	Yes	Yes		Yes	10043
Low back pain: adults (percent)	Percent of adults aged 18 and over with low back pain during the past three months	Yes				50040
Low birth weight deliveries (percent)	Percent of live births that are low birth weight (LBW)	Yes	Yes	Yes		1135
Low birth weight: children with cerebral palsy	Percent of children with cerebral palsy born as low birth weight infants (less than 2,500 grams)	Yes				1168
Lower extremity amputations: diabetics	Rate of lower extremity amputations in persons with diagnosed diabetes	Yes				548
Lung cancer deaths	Lung cancer death rate	Yes				487
Lung cancer Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have lung cancer	Yes	Yes	Yes	Yes	303
Lung cancer Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have lung cancer	Yes	Yes	Yes	Yes	304
Lung, trachea, and bronchus cancer deaths (per 100,000)	Lung, trachea, and bronchus cancer death rate per 100,000	Yes	Yes	Yes		88
M.D. training, counseling for health promotion	Percent of MD-granting medical schools that include training in counseling for health promotion and disease prevention	Yes				606
M.D. training, cultural diversity	Percent of MD-granting medical schools that include training in cultural diversity	Yes				607
M.D. training, environmental health	Percent of MD-granting medical schools that include training in environmental health	Yes				609
M.D. training, evaluation of health sciences literature	Percent of MD-granting medical schools that include training in evaluation of health sciences literature	Yes				608
M.D. training, global health	Percent of MD-granting medical schools that include training in global health	Yes				611
M.D. training, public health systems	Percent of MD-granting medical schools that include training in public health systems	Yes				610

Short Description	Full Description	National	State	County	HRR	HIW ID
Major depressive episode: adults	Percent of adults aged 18 years and older with Major Depressive Episode	Yes				1122
Major depressive episode: teens	Percent of adolescents aged 12 to 17 years with Major Depressive Episode	Yes				1123
Malaria	Number of cases of malaria reported in the United States	Yes				844
Male Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who are male	Yes	Yes	Yes	Yes	310
Mammogram: women 50+ (percent) (Source: BRFSS)	Percent of women age 50+ that report a mammogram in the past 2 years		Yes	Yes		116
Mammography counseling: women 50-74 years	Percent of women who were counseled by their providers about mammograms	Yes				494
Mammography: women 40+ (percent) (Source: NHIS)	Percent of women aged 40 and over who have had a mammogram within the past 2 years	Yes				50051
Mammography: women 50-74 years	Percent of women who receive a breast cancer screening based on the most recent guidelines	Yes				507
Mandatory ignition interlock laws: States	Number of States with mandatory ignition interlock laws for first and repeat impaired driving offenders in the United States	Yes				1468
Marijuana, never use: at risk teens	Percent of at risk adolescents aged 12 to 17 years who, in the past year, refrained from using marijuana for the first time	Yes				1429
Marijuana, recent use: teens	Percent of adolescents reporting use of marijuana during the past 30 days	Yes				1433
Mass transit for transportation	Percent of trips to work using of alternative modes of transportation - mass transit	Yes				668
Maternal deaths	Rate of maternal death	Yes				1129
Maternal illness and complications due to pregnancy	Maternal illness and complications due to pregnancy (complications during hospitalized labor and delivery)	Yes				1130
Measles, U.S.-acquired	Number of measles cases (U.S.-acquired cases)	Yes				981
Median Household Income (dollars)	Small area estimates of median household Income	Yes	Yes	Yes		10003
Medicaid beneficiaries (number in thousands)	Number of Medicaid beneficiaries	Yes	Yes			10014
Medicaid coverage for nicotine treatment: States	Comprehensive Medicaid insurance coverage of evidence-based treatment for nicotine dependency in States and the District of Columbia	Yes	Yes			1516
Medicaid coverage: persons <65 (percent)	Percent of persons under age 65 who have Medicaid coverage	Yes				50057
Medicaid managed care beneficiaries (percent)	Percent of Medicaid beneficiaries in managed care plans	Yes	Yes			10015
Medicaid payments per beneficiary (dollars)	Average payment per Medicaid beneficiary	Yes	Yes			10017

Short Description	Full Description	National	State	County	HRR	HIW ID
Medical care delayed or not received due to cost (percent)	Percent of persons who did not get or delayed medical care due to cost in the previous 12 months	Yes	Yes			50065
Medical care: adults with uncontrolled seizures	percent of people with epilepsy and uncontrolled seizures who receive appropriate medical care	Yes				540
Medical evaluation: chronic kidney disease & diabetes older adults	Percent of persons 65 years of age and over with type 1 or type 2 diabetes and chronic kidney disease who receive medical evaluation with serum creatinine, microalbuminuria, HbA1c, lipids, and eye examinations	Yes				478
Medical evaluation: chronic kidney disease older adults	Percent of persons 65 years of age and over with chronic kidney disease who receive medical evaluation with serum creatinine, lipids, and microalbuminuria	Yes				477
Medical home: children	Percent of children who have access to a medical home	Yes				1152
Medical home: children with special needs	Percent of children with special health care needs who have access to a medical home	Yes				1153
Medical treatment: chronic kidney disease & diabetes older adults	Percent of persons 65 years of age and over with Part D insurance with diabetes and chronic kidney disease who receive recommended medical treatment with angiotensin-converting enzyme (ACE) inhibitors or angiotensin II receptor blockers (ARBs)	Yes				479
Medicare Advange participation (percent)	The proportion of Medicare beneficiaries who are enrolled in a Medicare Advantage program	Yes	Yes	Yes	Yes	50076
Medicare Advantage beneficiaries (number)	Number of Medicare beneficiaries that are enrolled in Medicare Advantage	Yes	Yes	Yes	Yes	50074
Medicare beneficiaries who are also eligible for Medicaid (percent)	Medicare fee-for-service beneficiaries who are also eligible for Medicaid	Yes	Yes	Yes	Yes	317
Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	307
Medicare beneficiaries (number)	Beneficiaries enrolled in both Part A and Part B Medicare	Yes	Yes	Yes	Yes	50075
Medicare managed care beneficiaries (percent)	Percent of Medicare beneficiaries enrolled in Medicare Advantage managed care plans	Yes	Yes			10020
Melanoma cancer deaths	Melanoma cancer death rate	Yes				493
Meningococcal disease	Meningococcal disease rate	Yes				968
Meningococcal vaccination: teens 13-15 years	Percent of adolescents who have 1 dose Meningococcal vaccine (MCV) by age 13 to 15 years	Yes	Yes			1012
Mental health screening: juvenile justice facilities	Percent of juvenile residential facilities that screen admissions for mental health problems	Yes				1111

Short Description	Full Description	National	State	County	HRR	HIW ID
Mental health services receipt: homeless adults	Percent of homeless adults with mental health problems who receive mental health services	Yes				1107
Mental health treatment provision: primary care facilities	Percent of primary care facilities that provide mental health treatment onsite or by paid referral	Yes				1109
Mental illness prevention: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in mental illness	Yes				598
Mentally unhealthy days: adults (per person)	Average number of reported mentally unhealthy days per month among adults 18 years and over		Yes	Yes		9
Mercury level: children 1-5 years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: Mercury, children aged 1 to 5 years	Yes				698
Mercury level: females 16-49 years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: Mercury, females aged 16 to 49 years	Yes				699
Mercury poisoning monitoring: states	Number of States, Territories, and the District of Columbia that monitor diseases or conditions that can be caused by exposure to environmental hazards: mercury poisoning	Yes				715
Methicillin-resistant Staphylococcus aureus infections	Invasive healthcare-associated methicillin-resistant Staphylococcus aureus (MRSA) infections	Yes				852
Missed school days: children 5-17 with asthma	Percent of children aged 5 to 17 years with asthma who miss school days	Yes				1410
Missed work days: adults 18-64 with asthma	Percent of adults aged 18 to 64 years with asthma who miss work days	Yes				1411
MMR vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-1 dose measles-mumps-rubella (MMR) vaccine by age 19 to 35 months	Yes	Yes			996
MMR vaccination: kindergarteners	Vaccination coverage levels for children in kindergarten-MMR vaccines (2 or more doses)	Yes				1004
Mold problem policy: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Have a plan for how to address mold problems	Yes				684

Short Description	Full Description	National	State	County	HRR	HIW ID
Motor vehicle crash deaths	Motor vehicle crash-related deaths per 100 million vehicle miles traveled	Yes				1077
Motor vehicle crashes involving drowsy driving	Motor vehicle crashes per 100 million miles traveled involving drowsy driving	Yes				1470
Motor vehicle injuries, nonfatal	Nonfatal motor vehicle crash-related injuries	Yes				1078
Motor vehicle traffic deaths	Motor vehicle traffic-related death rate per 100,000	Yes	Yes	Yes		1076
Motorcycle helmet use	Percent of motorcycle operators and passengers using helmets	Yes				1048
Multivitamins/folic acid use, preconception	Percent of women delivering a live birth who took multivitamins/folic acid prior to pregnancy	Yes				1179
Mumps, U.S.-acquired	Number of mumps cases (U.S.-acquired cases)	Yes				982
Muscle-strengthening activity meeting guidelines: adults	Percent of adults who perform muscle-strengthening activities on 2 or more days of the week	Yes				1321
National tracking of HP 2020 objectives: baseline data	Percent of Healthy People 2020 objectives that originally did not have baseline data but now have at least baseline data	Yes				1365
National tracking of HP 2020 objectives: data every three years	Percent of Healthy People 2020 objectives that are tracked at least every 3 years	Yes				1367
National tracking of HP 2020 objectives: two data points	Percent of Healthy People 2020 objectives that have at least a baseline and one additional data point	Yes				1366
Neck pain: adults (percent)	Percent of adults aged 18 and over with neck pain during the past three months	Yes				50041
Neonatal hearing screening	Percent of infants that receive screening for hearing loss no later than age 1 month	Yes				756
Nephrologist seen at least 12 months before hemodialysis initiation	Percent of chronic kidney disease patients receiving care from a nephrologist at least 12 months before the start of renal replacement therapy	Yes				468
Never had sexual intercourse: females <16 years	Percent of female adolescents aged 15 years and under who have never had sexual intercourse	Yes				792
Never had sexual intercourse: females 15-17 years	Percent of female adolescents aged 15 to 17 years who have never had sexual intercourse	Yes				790
Never had sexual intercourse: males <16 years	Percent of male adolescents aged 15 years and under who have never had sexual intercourse	Yes				793
Never had sexual intercourse: males 15-17 years	Percent of male adolescents aged 15 to 17 years who have never had sexual intercourse	Yes				791
Newborn screening verification: states	Number of States and the District of Columbia that verify through linkage with vital records that all newborns are screened shortly after birth for conditions mandated by their State-sponsored screening program	Yes				1173

Short Description	Full Description	National	State	County	HRR	HIW ID
No bare hand contact of RTE foods in full- service restaurants	Proportion of full-service restaurants where food employees do not contact RTE foods with bare hands	Yes				10148
No contact with ready-to-eat foods by employees with bare hands in fast-food restaurants	Proportion of fast-food restaurants where food employees do not contact ready-to-eat (RTE) foods with bare hands	Yes				10143
No exercise: adults (percent) (Source: BRFSS)	Adults that report no leisure-time exercise in past month		Yes	Yes		120
No health care visits: children (percent)	Percent of children under age 18 years who had no health care visits to an office or clinic within the past 12 months	Yes				50068
Non-Hispanic White Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who are Non-Hispanic white	Yes	Yes	Yes	Yes	311
Nonfatal firearm-related injuries	Nonfatal firearm-related injury rate	Yes				1043
Number of days the Air Quality Index exceeds 100	Number of days the Air Quality Index (AQI) exceeds 100, weighted by population and AQI value	Yes				665
Nurse practitioner training, cultural diversity	Percent of nurse practitioner programs that include training in cultural diversity	Yes				625
Nurse practitioner training, environmental health	Percent of nurse practitioner programs that include training in environmental health	Yes				627
Nurse practitioner training, evaluation of health literature	Percent of nurse practitioner programs that include training in evaluation of health sciences literature	Yes				626
Nurse practitioner training, global health	Percent of nurse practitioner programs that include training in global health	Yes				629
Nurse practitioner training, health promotion counseling	Percent of nurse practitioner programs that include training in counseling for health promotion and disease prevention	Yes				624
Nurse practitioner training, public health systems	Percent of nurse practitioner programs that include training in public health systems	Yes				628
Nursing home (Title 18/19) facilities (number)	Number of Medicare or Medicaid-certified Title 18/19 (nursing home) facilities	Yes	Yes		Yes	10053
Nursing training, counseling for health promotion	Percent of undergraduate nursing programs that include training in counseling for health promotion and disease prevention	Yes				618
Nursing training, cultural diversity	Percent of undergraduate nursing programs that include training in cultural diversity	Yes				619
Nursing training, environmental health	Percent of undergraduate nursing programs that include training in environmental health	Yes				621
Nursing training, evaluation of health sciences literature	Percent of undergraduate nursing programs that include training in evaluation of health sciences literature	Yes				620

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Nursing training, global health	Percent of undergraduate nursing programs that include training in global health	Yes				623
Nursing training, public health systems	Percent of undergraduate nursing programs that include training in public health systems	Yes				622
Nutrition counseling at physician visits	Percent of physician visits made by all child or adult patients that include counseling about nutrition or diet	Yes				1227
Nutrition counseling: patients with CVD, diabetes, or hyperlipidemia	Percent of physician office visits made by patients with a diagnosis of cardiovascular disease, diabetes, or hyperlipidemia that include counseling or education related to diet and nutrition	Yes				1225
Nutrition services: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in nutrition	Yes				603
Nutrition standards for child care: states	Number of states and the District of Columbia with nutrition standards for foods and beverages provided to preschool-aged children in child care	Yes				1240
Obesity: adults	Percent of adults who are obese	Yes				1208
Obesity: adults (percent) (Source: BRFSS)	Percent of adults 18 years and over that report BMI \geq 30		Yes	Yes		15
Obesity: children 2-19 years	Percent of children and adolescents aged 2 to 19 years who are considered obese	Yes				1216
Obesity: children 2-5 years	Percent of children and adolescents aged 2 to 5 years who are considered obese	Yes				1213
Obesity: children 6-11 years	Percent of children and adolescents aged 6 to 11 years who are considered obese	Yes				1214
Obesity: teens 12-19 years	Percent of children and adolescents aged 12 to 19 years who are considered obese	Yes				1215
Obstructive sleep apnea evaluation: adults	Percent of adults with symptoms of obstructive sleep apnea who seek medical evaluation	Yes				1469
Occupational eye injuries resulting in lost work days	Rate of occupational eye injuries resulting in lost work days	Yes				1564
Occupational eye injuries treated in emergency departments	Rate of occupational eye injuries treated in emergency departments	Yes				1565
Online health information access	Percent of online health information seekers who report easily accessing health information	Yes				865

Short Description	Full Description	National	State	County	HRR	HIW ID
Oral and craniofacial health surveillance: states	Number of States and the District of Columbia that have an oral and craniofacial health surveillance system	Yes				1268
Oral and pharyngeal cancer early detection	Percent of oral and pharyngeal cancers detected at the earliest stage	Yes				1264
Oral health care system use	Percent of children, adolescents, and adults who used the oral health care system in the past year	Yes				1266
Oral health program: Federally qualified health centers	Percent of Federally Qualified Health Centers that have an oral health care program	Yes				1287
Oral health program: Local health departments	Percent of local health departments that have oral health prevention or care programs	Yes				1288
Oral health services receipt at health centers	Percent of patients who receive oral health services at Federally Qualified Health Centers each year	Yes				1296
Organ Procurement Organizations (number)	Number of Organ Procurement Organizations participating in the Medicare program	Yes	Yes		Yes	10044
Oropharyngeal cancer deaths	Oropharyngeal cancer death rate	Yes				491
Osteoporosis Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have osteoporosis	Yes	Yes	Yes	Yes	50019
Osteoporosis Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have osteoporosis	Yes	Yes	Yes	Yes	50024
Osteoporosis: adults 50+ years	Percent of adults aged 50 years and over with osteoporosis	Yes				427
Other or Unknown race Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who are Other or Unknown race	Yes	Yes	Yes	Yes	316
Otitis media visits in ambulatory care settings: children	Rate of otitis media in children and adolescents	Yes				743
Outbreak-associated infections associated with beef	Number of outbreak-associated infections due to Shiga toxin-producing E. coli O157, or Campylobacter, Listeria, or Salmonella species associated with food commodity group: beef	Yes				839
Outbreak-associated infections: chicken	Number of outbreak-associated infections due to Shiga toxin-producing E. coli O157, or Campylobacter, Listeria, or Salmonella species associated with food commodity group: poultry	Yes				843
Outbreak-associated infections: dairy	Number of outbreak-associated infections due to Shiga toxin-producing E. coli O157, or Campylobacter, Listeria, or Salmonella species associated with food commodity group: dairy	Yes				840

Short Description	Full Description	National	State	County	HRR	HIW ID
Outbreak-associated infections: fruits/nuts	Number of outbreak-associated infections due to Shiga toxin-producing E. coli O157, or Campylobacter, Listeria, or Salmonella species associated with food commodity group: fruits and nuts	Yes				841
Outbreak-associated infections: vegetables	Number of outbreak-associated infections due to Shiga toxin-producing E. coli O157, or Campylobacter, Listeria, or Salmonella species associated with food commodity group: leafy vegetables	Yes				842
Outpatient dialysis facility actual Medicare costs (dollars)	Actual outpatient dialysis facility costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50097
Outpatient dialysis facility standardized Medicare costs (dollars)	Standardized outpatient dialysis facility costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50098
Outpatient physical therapy/speech pathology facilities (number)	Number of Outpatient physical therapy/speech pathology facilities participating in the Medicare program	Yes	Yes		Yes	10045
Overdose ED visits for injectable antidiabetic agents	Rate of emergency department (ED) visits for overdoses from injectable antidiabetic agents	Yes				1204
Overdose ED visits for narrow-therapeutic-index medications	Rate of emergency department (ED) visits for overdoses of narrow-therapeutic-index medications	Yes				1205
Overdose ED visits for oral anticoagulants	Rate of emergency department (ED) visits for overdoses from oral anticoagulants	Yes				1203
Overdose ED visits: children <5 years	Rate of emergency department (ED) visits for medication overdoses among children less than 5 years of age	Yes				1206
Overexertion or repetitive motion injuries/illness from work	Rate of injury and illness cases involving days away from work due to overexertion or repetitive motion	Yes				1297
Ozone days (number)	Annual number of days with daily 8-hour maximum ozone concentration over the National Ambient Air Quality Standard			Yes		45
Pap smears: women 18+ (percent) (Source: NHIS)	Percent of women aged 18 and over who have had a Pap smear within the past 3 years	Yes				50052
Pap smears: women 18+ without hysterectomy (percent)	Percent of women aged 18 and over who have not had a hysterectomy who have had a Pap smear within the past 3 years	Yes				50059
Pap test counseling: women 21-65 years	Percent of women who were counseled by their providers about Pap tests	Yes				495
Pap test: women 18+ (percent)	Percent of women age 18+ that report Pap test in the last 3 years		Yes	Yes		115

Short Description	Full Description	National	State	County	HRR	HIW ID
Para-nitrophenol level: persons 6+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: Para-nitrophenol (methyl parathion and parathions)	Yes				703
Parent employed year round and full time: children	Percent of children aged 0-17 years living with at least one parent employed year round, full time	Yes				10070
Part B drug actual Medicare cost (dollars)	Actual Part B drug costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50111
Part B drug Medicare users (number)	Medicare fee-for-service beneficiaries who used Part B drugs	Yes	Yes	Yes	Yes	269
Part B drug standardized Medicare costs (dollars)	Standardized Part B drug costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50112
Part B drugs Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used Part B drugs	Yes	Yes	Yes	Yes	270
Particulate matter days (percent)	Percent of days with maximum 24-hour average PM 2.5 concentration over the National Ambient Air Quality Standard			Yes		44
PCB level, dioxin-like: persons 12+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: PCB 126, representative of dioxin-like PCBs	Yes				707
PCB level, nondioxin-like: persons 12+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: PCB 153, representative of nondioxin-like PCBs	Yes				706
PCV vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-4 doses pneumococcal conjugate vaccine (PCV) by age 19 to 35 months	Yes	Yes			999
Pedal-cyclist deaths	Death rate of pedal-cyclists on public roads	Yes				1103
Pedestrian deaths	Rate of pedestrian deaths on public roads	Yes				1045
Pedestrian injuries, nonfatal	Rate of nonfatal pedestrian injuries on public roads	Yes				1046
Pelvic inflammatory disease	Percent of females aged 15 to 44 years who have ever required treatment for pelvic inflammatory disease (PID)	Yes				1473
Perchlorate level: persons 6+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: perchlorate	Yes				710

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Percutaneous intervention timeliness: heart attack patients	Percent of eligible patients with heart attacks who receive Percutaneous intervention (PCI) within 90 minutes of hospital arrival	Yes				879
Perinatal deaths	Rate of fetal and infant deaths during perinatal period (28 weeks of gestation to 7 days after birth)	Yes				1157
Periodontal disease: adults 45-74 years	Percent of adults aged 45 to 74 years with periodontitis	Yes				1280
Personal care limitations: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who have difficulty in performing two or more personal care activities, thereby preserving independence	Yes				420
Pertussis: infants	Number of pertussis cases among children under age 1 year	Yes				983
Pertussis: teens	Number of pertussis cases among adolescents aged 11 to 18 years	Yes				984
Pesticide area marking policy: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Exposure to pesticides by marking areas treated with pesticides	Yes				687
Pesticide exposures causing health care facility visits	Number of pesticide exposures that result in visits to a health care facility	Yes				661
Pesticide information policy: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Exposure to pesticides by notifying staff, students, and families prior to application of the pesticide	Yes				688
Pesticide limited use policy: schools	Percent of the Nation's elementary, middle, and high schools that have official school policies and engage in practices that promote a healthy and safe physical school environment: Exposure to pesticides by using spot treatments and baiting rather than widespread application of pesticide	Yes				686
Pesticide poisoning monitoring: states	Number of States, Territories, and the District of Columbia that monitor diseases or conditions that can be caused by exposure to environmental hazards: pesticide poisoning	Yes				714
Pharmacist training, public health systems	Percent of Doctor of Pharmacy (PharmD) granting colleges and schools of pharmacy that include training in public health systems	Yes				10079

Short Description	Full Description	National	State	County	HRR	HIW ID
Pharmacist training, counseling for health promotion	Percent of Doctor of Pharmacy (PharmD) granting colleges and schools of pharmacy that include training in counseling for health promotion and disease prevention	Yes				10075
Pharmacist training, cultural diversity	Percent of Doctor of Pharmacy (PharmD) granting colleges and schools of pharmacy that include training in cultural diversity	Yes				10076
Pharmacist training, environmental health	Percent of Doctor of Pharmacy (PharmD) granting colleges and schools of pharmacy that include training in environmental health	Yes				10078
Pharmacist training, evaluation of health sciences literature	Percent of Doctor of Pharmacy (PharmD) granting colleges and schools of pharmacy that include training in evaluation of health sciences literature	Yes				10077
Pharmacist training, global health	Percent of Doctor of Pharmacy (PharmD) granting colleges and schools of pharmacy that include training in global health	Yes				10080
Phthalate level: persons 6+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: Mono-n-butyl phthalate	Yes				711
Physical activity counseling: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who receive health care provider counseling-For physical activity or exercise	Yes				422
Physical activity duration policies for child care settings: States	Number of States with licensing regulations for physical activity provided in child care-Require number of minutes of physical activity per day or by length of time in care	Yes				1345
Physical activity intensity policies for child care settings: States	Number of States with licensing regulations for physical activity provided in child care-Require children to engage in vigorous or moderate physical activity	Yes				1344
Physical activity policies for child care settings: States	Number of States with licensing regulations for physical activity provided in child care-Require activity programs providing large muscle or gross motor activity, development, and/or equipment	Yes				1343
Physical activity: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in physical activity	Yes				604

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Physical assault injuries, nonfatal	Nonfatal physical assault injury rate	Yes				1099
Physical assaults: persons 12+ years	Rate of physical assaults among persons 12 years of age and over	Yes				1051
Physical education required daily: elementary schools	Percent of the Nation's public and private schools that require daily physical education for all students-Elementary schools	Yes				1314
Physical education required daily: high schools	Percent of the Nation's public and private schools that require daily physical education for all students-Senior high schools	Yes				1316
Physical education required daily: middle/junior high schools	Percent of the Nation's public and private schools that require daily physical education for all students-Middle and junior high schools	Yes				1315
Physical education, daily at school: teens	Percent of adolescents who participate in daily school physical education	Yes	Yes			1317
Physical fighting: teens	Percent of physical fighting among adolescents	Yes	Yes			1052
Physically or mentally unhealthy days: adults (days)	Average number of reported physically or mentally unhealthy days per month among persons 18 years and over		Yes	Yes		75
Physically unhealthy days: adults (per person)	Average number of reported physically unhealthy days per month among adults 18 years of age and over		Yes	Yes		7
Physician asst. training in cultural diversity	Percent of physician assistant programs that include training in cultural diversity	Yes				631
Physician asst. training, counseling for health promotion	Percent of physician assistant programs that include training in counseling for health promotion and disease prevention	Yes				630
Physician asst. training, environmental health	Percent of physician assistant programs that include training in environmental health	Yes				633
Physician asst. training, evaluation of health literature	Percent of physician assistant programs that include training in evaluation of health sciences literature	Yes				632
Physician asst. training, global health	Percent of physician assistant programs that include training in global health	Yes				635
Physician asst. training, public health systems	Percent of physician assistant programs that include training in public health systems	Yes				634
Physician evaluation and management actual Medicare costs (dollars)	Actual evaluation and management costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50101
Physician evaluation and management Medicare service events (per 1,000 beneficiaries)	Rate of physician evaluation and management service events among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2021
Physician evaluation and management Medicare users (number)	Medicare fee-for-service beneficiaries who used physician evaluation and management services	Yes	Yes	Yes	Yes	239

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Physician evaluation and management Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used physician evaluation and management services	Yes	Yes	Yes	Yes	240
Physician evaluation and management standardized Medicare costs (dollars)	Standardized evaluation and management costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50102
Physician physical activity counseling	Percent of physician visits made by all child and adult patients that include counseling about exercise	Yes				1342
Physician physical activity counseling: adults with chronic conditions	Percent of office visits made by patients with a diagnosis of cardiovascular disease, diabetes, or hyperlipidemia that include counseling or education related to exercise	Yes				1341
Physician procedures actual Medicare costs (dollars)	Actual procedures costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50103
Physician procedures Medicare service events (per 1,000 beneficiaries)	Rate of physician procedure service events among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2022
Physician procedures Medicare users (number)	Medicare fee-for-service beneficiaries who used physician procedures services	Yes	Yes	Yes	Yes	245
Physician procedures Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used physician procedures services	Yes	Yes	Yes	Yes	246
Physician procedures standardized Medicare costs (dollars)	Standardized procedures costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50104
Physician use delayed due to cost (percent) (Source: BRFSS)	Percent of adults 18+ who needed to see a doctor but could not because of cost		Yes	Yes		10019
Pneumococcal vaccination: adults 65+ (percent) (Source: BRFSS)	Percent of adults age 65+ that report ever having a pneumococcal vaccination		Yes	Yes		118
Pneumococcal vaccination: high-risk adults	Percent of adults who are vaccinated against pneumococcal disease-Noninstitutionalized high-risk adults aged 18 to 64 years	Yes				1019
Pneumococcal vaccination: nursing home residents	Percent of adults who are vaccinated against pneumococcal disease-Institutionalized adults (persons aged 18 years and older in long-term or nursing homes)	Yes				1020
Pneumococcal vaccination: older adults	Percent of adults who are vaccinated against pneumococcal disease-Noninstitutionalized adults aged 65 years and older	Yes				1018
Pneumoconiosis deaths	Annual number of pneumoconiosis deaths	Yes				1298
Poisoning deaths	Poisoning death rate: All persons	Yes	Yes	Yes		1064
Poisoning deaths, unintentional/undetermined	Poisoning death rate of unintentional or undetermined intent among all persons	Yes				1066

Short Description	Full Description	National	State	County	HRR	HIW ID
Poisoning deaths, unintentional/undetermined: adults 35-54 years	Poisoning death rate of unintentional or undetermined intent among persons aged 35 to 54 years	Yes				1067
Poisoning deaths: adults 35-54 years	Poisoning death rate: Persons aged 35 to 54 years	Yes				1065
Poisonings, nonfatal	Rate of nonfatal poisonings	Yes				1040
Polio vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-3 doses polio vaccine by age 19 to 35 months	Yes	Yes			997
Polio vaccination: kindergarteners	Vaccination coverage levels for children in kindergarten-Polio vaccine (3 or more doses)	Yes				1005
Polio, U.S.-acquired	Number of acute paralytic poliomyelitis cases (U.S.-acquired cases)	Yes				985
Population density (per square mile)	Population density of United States geographic area per square mile	Yes	Yes	Yes		10001
Population distributions (percent)	Bridged-race population distributions according to 1977 OMB standard	Yes	Yes	Yes		10002
Population estimates (number)	Bridged-race population estimates according to 1977 OMB standard	Yes	Yes	Yes		10000
Population-based HP 2020 objectives with race and ethnicity data	Percent of population-based Healthy People 2020 objectives for which national data are available by race and ethnicity	Yes				10091
Population-based HP 2020 objectives with sex data	Percent of population-based Healthy People 2020 objectives for which national data are available by sex	Yes				10092
Population-based HP 2020 objectives with socioeconomic status data	Percent of population-based Healthy People 2020 objectives for which national data are available by socioeconomic status	Yes				10093
Portable X-Ray providers (number)	Number of portable X-Ray providers participating in the Medicare Program	Yes	Yes		Yes	10046
Positive communication with parents: children 6-17 years	Percent of children aged 6-17 years who can have positive communication with their parents	Yes				739
Postdiarrheal hemolytic-uremic syndrome infections	Rate of infections caused by key pathogens transmitted commonly through food: Postdiarrheal hemolytic uremic syndrome (HUS) in children less than 5 years of age	Yes				826
Poverty	Percent of persons of all ages living in poverty	Yes				10072
Poverty: children < 18 years	Percent of children aged 0-17 years living in poverty	Yes				10073
Poverty: children < 18 years (percent)	Percent of children under 18 years of age living in poverty	Yes	Yes	Yes		36

Short Description	Full Description	National	State	County	HRR	HIW ID
Preemptive smoke-free air laws: States	Number of States with State laws that preempt stronger local tobacco control laws-Preemption on smoke-free indoor air	Yes	Yes			1545
Preemptive stronger local tobacco control laws on licensure: States	Number of states have state laws that preempt stronger local tobacco control laws on licensure	Yes				10141
Preemptive tobacco advertising laws: States	Number of States with State laws that preempt stronger local tobacco control laws-Preemption in advertising	Yes	Yes			1546
Preemptive tobacco control laws, youth access: States	Number of States with State laws that preempt stronger local tobacco control laws-Preemption on youth access	Yes	Yes			1547
Preemptive transplantation in end stage kidney failure	Percent of patients who receive a preemptive transplant at the start of ESRD	Yes				474
Pregnancies conceived within 18 months of previous birth	Percent of pregnancies conceived within 18 months of a previous birth	Yes				784
Pregnancies: females 15-17 years	Pregnancy rate among adolescent females aged 15 to 17 years	Yes				788
Pregnancies: females 18-19 years	Pregnancy rate among adolescent females aged 18 to 19 years	Yes				789
Pregnancy despite use of reversible contraceptive method	Percent of females experiencing pregnancy despite use of a reversible contraceptive method	Yes				780
Prenatal care, early and adequate	Percent of pregnant women who receive early and adequate prenatal care	Yes				1132
Prenatal care, first trimester	Percent of pregnant women who receive prenatal care beginning in the first trimester of pregnancy	Yes				1131
Prescription drugs not received due to cost (percent)	Percent of persons of all ages who did not get prescription drugs in the previous 12 months due to cost	Yes	Yes			50066
Prescription pain reliever abuse	Percent of person 12 years and older with nonmedical use of prescription pain relievers in the past year	Yes				1461
Prescription psychotherapeutic drug abuse	Percent of persons 12 years and older with nonmedical use of any prescription psychotherapeutic drug in the past year	Yes				1465
Prescription sedatives abuse	Percent of persons 12 years and older with nonmedical use of prescription sedatives in the past year	Yes				1464
Prescription stimulants abuse	Percent of persons 12 years and older with nonmedical use of prescription stimulants in the past year	Yes				1463
Prescription tranquilizers abuse	Percent of persons 12 years and older with nonmedical use of prescription tranquilizers in the past year	Yes				1462

Short Description	Full Description	National	State	County	HRR	HIW ID
Pressure ulcer-related hospitalizations: older adults	Rate of pressure ulcer-related hospitalizations among older adults	Yes				1249
Preterm births, <32 weeks of gestation (percent)	Percent of live births that are very preterm (less than 32 weeks of gestation)	Yes	Yes	Yes		1140
Preterm births, 32-33 weeks of gestation (percent)	Percent of live births at 32 to 33 weeks of gestation	Yes	Yes	Yes		1139
Preterm births, 32-36 weeks of gestation (percent)	Percent of live births that are moderately preterm (32-36 weeks gestation)	Yes	Yes	Yes		10008
Preterm births, 34-36 weeks of gestation (percent)	Percent of live births that are late preterm (34 to 36 weeks of gestation)	Yes	Yes	Yes		1138
Preterm births, total (percent)	Percent of live births that are preterm (< 37 weeks of gestation)	Yes	Yes	Yes		1137
Preventable hospitalizations: Medicare beneficiaries (per 1,000)	Discharge rate per 1,000 Medicare fee-for-service enrollees for ambulatory care sensitive conditions	Yes	Yes	Yes	Yes	27
Preventable hospitalizations: persons with dementia	Percent of preventable hospitalizations in adults aged 65 years and older with diagnosed Alzheimer's disease and other dementias	Yes				544
Primary care providers (per 100,000)	Rate of primary care providers (PCP) per 100,000		Yes	Yes		25
Private health insurance: <65 years (percent) (Source: NHIS)	Percent of persons under age 65 who have private health insurance coverage	Yes				50054
Proficiency in math: 12th grade	Percent of 12th graders whose mathematics skills are at or above the proficient achievement level for 12th grade	Yes				401
Proficiency in math: 4th grade	Percent of 4th graders whose mathematics skills are at or above the proficient achievement level for 4th grade	Yes				399
Proficiency in math: 8th grade	Percent of 8th graders whose mathematics skills are at or above the proficient achievement level for 8th grade	Yes				400
Proficiency in reading: 12th grade	Percent of 12th graders whose reading skills are at or above the proficient achievement level for 12th grade	Yes				398
Proficiency in reading: 4th grade	Percent of 4th graders whose reading skills are at or above the proficient achievement level for 4th grade	Yes				396
Proficiency in reading: 8th grade	Percent of 8th graders whose reading skills are at or above the proficient achievement level for 8th grade	Yes				397
Proper handwashing by restaurant employees in fast-food restaurants	Proportion of fast-food restaurants where employees practice proper handwashing	Yes				10142
Proper handwashing in full-service restaurants	Proportion of full-service restaurants where employees practice proper handwashing	Yes				10147

Short Description	Full Description	National	State	County	HRR	HIW ID
Proper hot holding in fast-food restaurants	Proportion of fast-food restaurants where foods displayed or stored hot are held at the proper temperature	Yes				10146
Proper hot holding in full-service restaurants	Proportion of full-service restaurants where foods displayed or stored hot are held at the proper temperature	Yes				10151
Proper refrigeration in full-service restaurants	Proportion of full-service restaurants where foods requiring refrigeration are held at the proper temperature	Yes				10150
Properly cleaned and sanitized food contact surfaces in fast-food restaurants	Proportion of fast-food restaurants where food contact surfaces are properly cleaned and sanitized	Yes				10144
Properly refrigerated foods in fast-food restaurants	Proportion of fast-food restaurants where foods requiring refrigeration are held at the proper temperature	Yes				10145
Prostate cancer deaths	Prostate cancer death rate	Yes				492
Prostate cancer Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have prostate cancer	Yes	Yes	Yes	Yes	305
Prostate cancer Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have prostate cancer	Yes	Yes	Yes	Yes	306
Prostate-specific antigen tests counseling: males	Percent of men who have discussed with their health care provider whether or not to have a prostate-specific antigen (PSA) test to screen for prostate cancer	Yes				512
Protective eyewear use at home: adults	Percent of adults aged 18 years and over who use protective eyewear in recreational activities and hazardous situations around the home	Yes				1573
Protective eyewear use at home: children	Percent of children and adolescents aged 6 to 17 years who use personal protective eyewear in recreational activities and hazardous situations around the home	Yes				1572
Protective gear use in intramural activities: schools	Percent of public and private schools that require students to wear appropriate protective gear when engaged in school-sponsored intramural activities or physical activity clubs	Yes				1083
Protective gear use in physical education: schools	Percent of public and private schools that require students to wear appropriate protective gear when engaged in school-sponsored physical education	Yes				1082
Psychiatric hospitals (number)	Number of Psychiatric hospitals participating in the Medicare program	Yes	Yes		Yes	10047
Public health majors: 4-year colleges/universities	Percent of 4-year colleges and universities that offer public health or related majors	Yes				1385

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Public health minors: 4-year colleges/universities	Percent of 4-year colleges and universities that offer public health or related minors	Yes				1386
Public health system assessment: Local public health systems	Percent of State and local public health jurisdictions that conduct a public health system assessment using national performance standards-Local public health systems	Yes				1376
Public health system assessment: State public health systems	Percent of State and local public health jurisdictions that conduct a public health system assessment using national performance standards-State public health systems	Yes				1375
Pyrethoid level: persons 6+ years	Exposure to selected environmental chemicals in the population, as measured by blood and urine concentrations of the substances or their metabolites: 3-phenoxybenzoic acid	Yes				705
Rabies surveillance, electronic: states	Number of States that use electronic data from rabies animal surveillance to inform public health prevention programs	Yes				1024
Radon mitigation systems: homes at risk for radon exposure	Percent of homes with an operating radon mitigation system for persons living in homes at risk for radon exposure	Yes				681
Radon-reducing construction: new homes	Percent of new single family homes (SFH) constructed with radon-reducing features, especially in high-radon-potential areas	Yes				682
Read to by parents: children <5 years	Percent of children aged 5 years and under whose parents read to them every day	Yes				740
Recent hearing exams: adults 20-69 years	Percent of adults aged 20 to 69 years who have had a hearing examination in the past 5 years	Yes				748
Recent hearing exams: older adults	Percent of adults aged 70 years and older who have had a hearing examination in the past 5 years	Yes				749
Recent hearing exams: teens	Percent of adolescents aged 12 to 19 years who have had a hearing examination in the past 5 years	Yes				750
Recess for 20+ min. in elementary school: school districts	Percent of school districts that require or recommend elementary school recess for an appropriate period of time	Yes				1340
Recess, required in elementary school: school districts	Percent of school districts that require regularly scheduled elementary school recess	Yes				1339
Recess, required in elementary school: States	Number of States that require regularly scheduled elementary school recess	Yes				1338
Recycling of municipal waste	Percent of municipal solid waste that is recycled or composted	Yes				662

Short Description	Full Description	National	State	County	HRR	HIW ID
Reduced joint mobility: persons with hemophilia	Percent of persons with hemophilia who develop reduced joint mobility due to bleeding into joints	Yes				444
Reducing fat/calories in diet: adults pre-diabetes	Percent of persons at high risk for diabetes (with pre-diabetes) who report reducing the amount of fat or calories in their diet	Yes				564
Refrigerate promptly, food safety practice	Percent of consumers who follow key food safety practices-- Chill: Refrigerate promptly	Yes				838
Rehabilitation Hospitals (number)	Number of Rehabilitation hospitals participating in the Medicare program	Yes	Yes		Yes	10048
Religious Nonmedical Health Care Institutions (number)	Number of religious nonmedical health care institutions participating in the Medicare program	Yes	Yes		Yes	10049
Renal evaluation after kidney injury: Medicare	Percent of hospital patients who incurred acute kidney injury and have followup renal evaluation in 6 months post discharge	Yes				482
Renal function knowledge: chronic kidney disease adults aged 45+	Percent of adults 45 years and older with chronic kidney disease (CKD) who know they have impaired renal function	Yes				485
Reports of fetal death, use of latest standard form: States	Number of States that record vital events using the latest U.S. standard certificates and report - States using the standard report of fetal death	Yes				1384
Reproductive health services receipt: sexually active females	Percent of sexually active females aged 15 to 44 years who received reproductive health services	Yes				786
Reproductive health services receipt: sexually active males	Percent of sexually active males aged 15 to 44 years who received reproductive health services	Yes				787
Residential fire deaths	Residential fire death rate	Yes				1050
Riding with a driver who has been drinking: teens	Percent of adolescents who report that they rode, during the previous 30 days, with a driver who had been drinking alcohol	Yes	Yes			1427
Risk perception, binge drinking: at risk teens	Percent of adolescents aged 12 to 17 years perceiving great risk associated with substance abuse-Consuming five or more alcoholic drinks at a single occasion once or twice a week	Yes				1450
Risk perception, cocaine: at risk teens	Percent of adolescents aged 12 to 17 years perceiving great risk associated with substance abuse-Using cocaine once per month	Yes				1452
Risk perception, marijuana: at risk teens	Percent of adolescents aged 12 to 17 years perceiving great risk associated with substance abuse-Smoking marijuana once per month	Yes				1451

Short Description	Full Description	National	State	County	HRR	HIW ID
Rotavirus vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-2 or more doses rotavirus vaccine (aged 19 to 35 months)	Yes	Yes			1002
Rubella, U.S.-acquired	Number of rubella cases (U.S.-acquired cases)	Yes				986
Rural Health Clinics (number)	Number of rural health clinics participating in the Medicare program	Yes	Yes		Yes	10050
Safe and effective medical products: predictive biomarkers	Use of safe and effective medical products which are associated with predictive biomarkers	Yes				1202
Safe drinking water: persons served by community water	Percent of persons served by community water systems who receive a supply of drinking water that meets the regulations of the Safe Drinking Water Act	Yes				659
Safety at school: perception of teens' parents	Percent of adolescents whose parents consider them to be safe at school	Yes				407
Safety belt use	Percent of persons observed using safety belts	Yes				1047
Salmonella species infections	Rate of infections caused by key pathogens transmitted commonly through food: Reduction in infections caused by Salmonella species	Yes				825
Salmonellosis (number)	Number of reported cases of salmonellosis	Yes	Yes	Yes		10026
Saturated fat consumption	Mean percent of total daily calorie intake from saturated fat for persons aged 2 years and over	Yes				1221
School absenteeism from illness/injury: teens 12-17	Percent of adolescents missing school 11 or more days due to illness or injury	Yes				403
School athletic facilities, public access	Percent of the Nation's public and private schools that provide access to their physical activity spaces and facilities for all persons outside of normal school hours (that is, before and after the school day, on weekends, and during summer and other vacations)	Yes				1318
School nurse-to-student ratio: elementary schools	Percent of the Nation's elementary, middle, and senior high schools that have a full-time registered school nurse-to-student ratio of at least 1:750-Elementary schools	Yes				588
School nurse-to-student ratio: high schools	Percent of the Nation's elementary, middle, and senior high schools that have a full-time registered school nurse-to-student ratio of at least 1:750-Senior high schools	Yes				586
School nurse-to-student ratio: middle schools	Percent of the Nation's elementary, middle, and senior high schools that have a full-time registered school nurse-to-student ratio of at least 1:750-Middle schools	Yes				587

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
School nurse-to-student ratio: schools	Percent of the Nation’s elementary, middle, and senior high schools that have a full-time registered school nurse-to-student ratio of at least 1:750-All elementary, middle, and senior high schools	Yes				585
School work meaningful: teens aged 12-17	Percent of adolescents who consider their school work to be meaningful and important	Yes				402
Schools located near highways	Number of public schools located within 150 meters of major highways in the United States	Yes				725
Screen time, computer: children 2-5 years	Percent of children aged 2 to 5 years who use a computer or play computer games outside of school (for nonschool work) for no more than 2 hours a day	Yes				1330
Screen time, computer: children 6-14 years	Percent of children aged 6 to 14 years who use a computer or play computer games outside of school (for nonschool work) for no more than 2 hours a day	Yes				1331
Screen time, computer: teens	Percent of adolescents in grades 9 through 12 who use a computer or play computer games outside of school (for nonschool work) for no more than 2 hours a day	Yes	Yes			1332
Screen time: children 0-2 years	Percent of children aged 0 to 2 years who view no television or videos on an average weekday	Yes				1326
Screen time: children 2-5 years	Percent of children aged 2 to 5 years who view television, videos, or play video games for no more than 2 hours a day	Yes				1327
Screen time: children 6-14 years	Percent of children aged 6 to 14 years who view television, videos, or play video games for no more than 2 hours a day	Yes				1328
Screen time: teens	Percent of adolescents in grades 9 through 12 who view television, videos, or play video games for no more than 2 hours a day	Yes	Yes			1329
Secondhand smoke exposure: adult nonsmokers	Percent of nonsmokers exposed to secondhand smoke-Adults aged 18 years and older	Yes				1519
Secondhand smoke exposure: nonsmokers 12-17 years	Percent of nonsmokers exposed to secondhand smoke-Adolescents aged 12 to 17 years	Yes				1518
Secondhand smoke exposure: nonsmokers 3-11 years	Percent of nonsmokers exposed to secondhand smoke-Children aged 3 to 11 years	Yes				1517
Self-harm injuries, nonfatal	Nonfatal intentional self-harm injury rate	Yes				1100
Self-report good or better mental health: adults	Percent of adults who self-report good or better mental health	Yes				10101
Self-report good or better physical health: adults	Percent of adults who self-report good or better physical health	Yes				10100

Short Description	Full Description	National	State	County	HRR	HIW ID
Separate food, food safety practice	Percent of consumers who follow key food safety practices-- Separate: Don't cross-contaminate	Yes				836
Septicemia deaths (per 100,000)	Septicemia death rate	Yes	Yes	Yes		50069
Serious emotional/behavioral difficulties: children (percent)	Percent of children under age 18 years with serious emotional or behavioral difficulties	Yes				50034
Serious property crimes: perpetrators 10-24 years	Rate of minor and young adult perpetration of serious property crimes	Yes				414
Serious psychological distress: adults (percent)	Percent of adults 18 years of age and over who have experienced serious psychological distress in the past 30 days	Yes				50055
Serious psychological distress: adults with arthritis	Percent of adults with doctor-diagnosed arthritis who report serious psychological distress	Yes				435
Serious violent incidents in public schools	Percent of public schools with a serious violent incident	Yes				408
Sexual orientation/identity harassment prohibited at school	percent of middle and high schools that prohibit harassment based on a student's sexual orientation or gender identity	Yes	Yes			406
Shigellosis (number)	Number of reported cases of shigellosis	Yes	Yes	Yes		10027
Shingles vaccination: older adults	Percent of adults who are vaccinated against zoster (shingles)	Yes				1027
Short stay hospitals (number)	Number of short stay hospitals participating in the Medicare program	Yes	Yes		Yes	10051
Sick leave use: adults with balance/dizziness problems	Percent of adults who have missed days of work or school in the past 12 months because of balance and dizziness problems	Yes				768
Single-parent households (percent)	Percent of households that are single-parent households			Yes		40
Skilled nursing facility actual Medicare costs (dollars)	Actual skilled nursing facility costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50087
Skilled nursing facility Medicare admissions (per 1,000 beneficiaries)	Rate of skilled nursing facility (SNF) admissions among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2008
Skilled nursing facility Medicare days (per 1,000 beneficiaries)	Average number of skilled nursing facility (SNF) days among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2016
Skilled nursing facility Medicare users (number)	Medicare fee-for-service beneficiaries who had covered skilled nursing facility services	Yes	Yes	Yes	Yes	214
Skilled nursing facility Medicare utilization (percent)	Medicare fee-for-service beneficiaries who had covered skilled nursing facility services	Yes	Yes	Yes	Yes	215
Skilled nursing facility standardized Medicare costs (dollars)	Standardized skilled nursing facility costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50088

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Skilled Nursing Home Title 18 Facilities (number)	Number of skilled nursing home Title 18 (Medicare only) facilities	Yes	Yes		Yes	10052
Skin allergy: children (percent)	Percent of children under age 18 years who have a skin allergy	Yes				50036
Skin cancer protective measures: adults	Percent of adults aged 18 years and older who follow protective measures that may reduce the risk of skin cancer	Yes				504
Skin cancer protective measures: teens	Percent of adolescents in grades 9 through 12 who follow protective measures that may reduce the risk of skin cancer	Yes				503
Skin diseases or disorders, work-related	Rate of occupational skin diseases or disorders among full-time workers	Yes				1301
Smoke-free air laws covering bars: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in bars	Yes	Yes			1527
Smoke-free air laws covering commercial daycare centers: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in commercial daycare centers	Yes	Yes			1529
Smoke-free air laws covering home based daycare centers: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in home-based daycare centers	Yes	Yes			1530
Smoke-free air laws covering hotels and motels: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in hotels and motels	Yes	Yes			1532
Smoke-free air laws covering multiunit housing: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in multiunit housing	Yes	Yes			1533
Smoke-free air laws covering Prisons: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in prisons and correctional facilities	Yes	Yes			1535
Smoke-free air laws covering private workplaces: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in private workplaces	Yes	Yes			1524
Smoke-free air laws covering public transportation: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in public transportation	Yes	Yes			1531

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Smoke-free air laws covering public workplaces: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in public workplaces	Yes	Yes			1525
Smoke-free air laws covering restaurants: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in restaurants	Yes	Yes			1526
Smoke-free air laws covering vehicles with children: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in vehicles with children	Yes	Yes			1534
Smoke-free homes: adults	Percent of adults living in smoke-free homes	Yes				1561
Smoke-free indoor air laws covering gaming halls: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in gaming halls	Yes	Yes			1528
Smoke-free indoor air laws covering hospital campuses: States	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in hospital campuses	Yes	Yes			1539
Smoke-free indoor air laws: college/university campuses	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in college and university campuses	Yes	Yes			1540
Smoke-free indoor air laws: entrances/exits of all public places	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in entrances and exits of all public places	Yes	Yes			1538
Smoke-free indoor air laws: mental health treatment facilities	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in mental health treatment facilities	Yes	Yes			1537
Smoke-free indoor air laws: substance abuse treatment facilities	Number of States, District of Columbia, Territories, and Tribes with established laws on smoke-free indoor air that prohibit smoking in substance abuse treatment facilities	Yes	Yes			1536
Smokeless tobacco use in past month: teens	Percent of adolescent reporting use of smokeless tobacco products in the past month - Students (grades 9 through 12)	Yes	Yes			1503
Smokeless tobacco use initiation: adults 18-25 years	Percent of young adults aged 18 to 25 years initiating smokeless tobacco use in the past 12 months	Yes				1511

Short Description	Full Description	National	State	County	HRR	HIW ID
Smokeless tobacco use initiation: teens	Percent of children and adolescents aged 12 to 17 years initiating smokeless tobacco use in past 12 months	Yes				1507
Smokeless tobacco use: adults	Percent of adults aged 18 years and over using smokeless tobacco products	Yes				1499
Smoking abstinence, preconception	Percent of women delivering a live birth who did not smoke prior to pregnancy	Yes				1180
Smoking cessation attempts: adult smokers	Percent of adult smokers aged 18 years and over who attempted smoking cessation in the past 12 months	Yes				1513
Smoking cessation attempts: teen smokers	Percent of adolescent smokers in grades 9 through 12 who attempted smoking cessation in the past 12 months	Yes	Yes			1515
Smoking cessation during pregnancy	Percent of females aged 18 to 49 years who ceased smoking during the first trimester of pregnancy	Yes				1491
Smoking cessation success	Percent of adults 18 years and older with smoking cessation success--6 months to 1 year ago	Yes				1555
Social and emotional support: adults with disabilities	Percent of adults with disabilities who report sufficient social and emotional support	Yes	Yes			515
Social marketing use in health programs: state health departments	Percent of State health departments that report using social marketing in health promotion and disease prevention programs	Yes				874
Social support for health concerns	Percent of adults who report having friends or family members whom they talk with about their health	Yes				870
Social-emotional support lacking: Adults (percent)	Percent of adults 18 years and over who report not receiving sufficient social-emotional support		Yes	Yes		50028
Sodium consumption	Mean total daily sodium intake (in mg) by persons aged 2 years and over	Yes				1222
Solid fat and added sugar consumption	Mean percent of total daily calorie intake from solid fats and added sugars for persons aged 2 years and over	Yes				1238
Solid fat consumption	Mean percent of total daily calorie intake from solid fats for persons aged 2 years and over	Yes				1236
Source of ongoing care: <18 years	Percent of persons who have a specific source of ongoing care-children and youth aged 17 years and under	Yes				376
Source of ongoing care: 18 to 64 years	Percent of persons who have a specific source of ongoing care-adults aged 18 to 64 years	Yes				377
Source of ongoing care: 65+ years	Percent of persons who have a specific source of care - adults aged 65 years and older	Yes				378

Short Description	Full Description	National	State	County	HRR	HIW ID
Source of ongoing care: all ages	Percent of persons who have a specific source of ongoing care- all ages	Yes				375
Source of usual care, none: adults <65 years (percent)	Percent of adults aged 18-64 with no usual source of health care	Yes				50061
Source of usual care, none: children (percent)	Percent of children under age 18 years who have no usual source of health care	Yes				50060
Special services: children with Autism spectrum disorders	Percent of children with ASD enrolled in special services by 48 months of age	Yes				1190
Specialty health care use: adults with balance/dizziness problems	Percent of adults with moderate to severe balance or dizziness problems who have seen or been referred to a Health Care specialist for evaluation or treatment	Yes				763
Specialty health care use: adults with tinnitus	Percent of adults bothered by the onset of tinnitus in the past 5 years, for whom it is a moderate, big, or very big problem, who have seen or been referred to an audiologist or otolaryngologist (ENT physician)	Yes				760
Spina bifida	Rate of spina bifida	Yes				1169
Spinal cord injury deaths	Spinal cord injury death rate	Yes				1062
Spinal cord injury hospitalizations	Hospitalization rate for nonfatal traumatic spinal cord injuries	Yes				1063
Spotted Fever Rickettsiosis (number)	Number of reported cases of spotted fever rickettsiosis	Yes	Yes	Yes		10028
Standardized Medicare total costs (dollars)	Standardized total costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50080
Statewide cancer registries	Number of central, population-based registries from the 50 States and the District of Columbia that capture case information on at least 95 percent of the expected number of reportable cancers	Yes				497
STD discussion with parent before age 18: females	Percent of adolescents females who talked to a parent or guardian about STDs before they were 18 years old	Yes				816
STD discussion with parent before age 18: males	Percent of adolescents males who talked to a parent or guardian about STDs before they were 18 years old	Yes				817
STD instruction receipt before age 18: females	Percent of adolescents females who received formal instruction on STDs before they were 18 years old	Yes				808
STD instruction receipt before age 18: males	Percent of adolescents males who received formal instruction on STDs before they were 18 years old	Yes				809
Steps to reduce risk promoted: news on foodborne disease outbreaks or national disasters	Percent of crisis and emergency risk messages embedded in print and broadcast news stories that promote steps the reader or viewer can take to reduce their personal health threat	Yes				10097
Steroid use: 10th graders	Percent of 10th graders using steroids	Yes				1441

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Steroid use: 8th graders	Percent of 8th graders using steroids	Yes				1440
Steroid use: high school seniors	Percent of 12th graders using steroids	Yes				1442
Stroke awareness: importance of calling 9-1-1	Percent of adults aged 20 years and over who are aware of the importance of accessing rapid emergency care by calling 9-1-1 or another emergency number	Yes				889
Stroke awareness: symptoms	Percent of adults aged 20 years and over who are aware of the early warning symptoms and signs of a stroke	Yes				888
Stroke awareness: symptoms and importance of 911	Percent of adults who are aware of the early warning symptoms and signs of a stroke and the importance of accessing rapid emergency care by calling 9-1-1 or another emergency number	Yes				887
Stroke deaths	Stroke death rate	Yes	Yes	Yes		881
Stroke Medicare beneficiaries (number)	Medicare fee-for-service beneficiaries who have had a stroke	Yes	Yes	Yes	Yes	50020
Stroke Medicare beneficiaries (percent)	Medicare fee-for-service beneficiaries who have had a stroke	Yes	Yes	Yes	Yes	50025
Stroke prevalence: adults (percent)	Respondent-reported prevalence of stroke among adults aged 18 and over	Yes				50046
Substance abuse prevention: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in substance abuse	Yes				600
Sufficient sleep: adults	Percent of adults who get sufficient sleep	Yes				1472
Sufficient sleep: teens	Percent of students in grades 9 through 12 who get sufficient sleep	Yes				1471
Suffocation deaths, unintentional	Unintentional suffocation death rate: All persons	Yes				1068
Suffocation deaths, unintentional: infants	Unintentional suffocation death rate: Infants 0 to 12 months	Yes				1069
Suffocation deaths, unintentional: older adults	Unintentional suffocation death rate: Adults aged 65 years and over	Yes				1070
Suicide attempts requiring medical attention: teens	Rate of suicide attempts by adolescents that require medical treatment	Yes	Yes			1106
Suicide deaths	Suicide death rate	Yes	Yes	Yes		1105
Sunburn: adults	Percent of adults aged 18 years and older who report sunburn	Yes				500
Surveillance programs for caregivers: States	States and the District of Columbia with surveillance programs for caregivers	Yes				528

Short Description	Full Description	National	State	County	HRR	HIW ID
Sweetened beverages not offered: schools	Percent of schools that do not sell or offer calorically sweetened beverages to students.	Yes				10065
Syphilis, congenital	Congenital syphilis rate	Yes				1474
Syphilis, primary and secondary: females	Domestic transmission of primary and secondary syphilis among females	Yes				1480
Syphilis, primary and secondary: males	Domestic transmission of primary and secondary syphilis among males	Yes				1481
TB curative therapy completion	Percent of all tuberculosis patients who complete curative therapy within 12 months	Yes				970
TB test confirmation timeliness	Average time for a laboratory to confirm and report tuberculosis cases	Yes				972
TB treatment: persons with latent TB	Percent of persons with latent tuberculosis infection who complete a course of treatment	Yes				971
Tdap vaccination: teens 13-15 years	Percent of adolescents who have 1 dose of tetanus-diphtheria-acellular pertussis (Tdap) booster vaccine by 13 to 15 years	Yes	Yes			1010
Telecommuting	Percent of trips to work using of alternative modes of transportation - telecommute	Yes				669
Test Medicare service events (per 1,000 beneficiaries)	Rate of test service events among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50072
Test Medicare users (number)	Medicare fee-for-service beneficiaries who used test services	Yes	Yes	Yes	Yes	50070
Test Medicare utilization (percent)	Medicare fee-for-service beneficiaries who used test services	Yes	Yes	Yes	Yes	50071
Tests actual Medicare cost (dollars)	Actual tests costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50109
Tests standardized Medicare costs (dollars)	Standardized tests costs of Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	50110
Timely evaluation: children with Autism spectrum disorder	Percent of children with ASD having a first evaluation by 36 months of age	Yes				1189
Tobacco cessation counseling offered by general practice dentists	Percent of general practice dentists who offer patients tobacco cessation counseling	Yes				1553
Tobacco cessation counseling: hospital outpatient dept. visits, adults	Percent of tobacco users ages 18 and older who receive tobacco cessation counseling at hospital ambulatory care visits	Yes				1552
Tobacco cessation counseling: physician office visits, adults (percent)	Percent of tobacco users ages 18 and older who receive tobacco cessation counseling at office based ambulatory care visits	Yes				1551

Short Description	Full Description	National	State	County	HRR	HIW ID
Tobacco cessation counseling: substance abuse care settings	Percent of tobacco users ages 12 and over who receive tobacco cessation counseling at substance abuse care visits	Yes				1554
Tobacco free environments: high schools	Percent of senior high schools with tobacco-free environments	Yes				1522
Tobacco free environments: junior high schools	Percent of Junior high schools with tobacco-free environments	Yes				1520
Tobacco free environments: middle schools	Percent of middle schools with tobacco-free environments	Yes				1521
Tobacco marketing exposure, internet: teens	Percent of adolescents and young adults grades 6 through 12 who are exposed to tobacco marketing-Internet	Yes				1541
Tobacco marketing exposure, magazine/newspaper: teens	Percent of adolescents and young adults grades 6 through 12 who are exposed to tobacco marketing-Magazine and newspaper	Yes				1542
Tobacco marketing exposure, point of purchase: teens	Percent of adolescents and young adults grades 6 through 12 who are exposed to tobacco marketing at convenience stores, supermarkets, or gas stations	Yes				1544
Tobacco marketing exposure, television/movies: teens	Percent of adolescents and young adults grades 6 through 12 who are exposed to tobacco marketing in movies and television	Yes				1543
Tobacco screening by general practice dentists	Percent of general practice dentists who screen patients for tobacco use	Yes				1559
Tobacco screening in substance abuse care setting: persons 12+ years	Percent of persons aged 12 years and over who received tobacco screening in substance abuse care settings	Yes				1560
Tobacco screening: hospital outpatient dept. visits, adults	Percent of persons aged 18 years and older who received tobacco screening in hospital ambulatory care settings	Yes				1558
Tobacco screening: physician office visits, adults	Percent of persons aged 18 years and older who received tobacco screening in office-based ambulatory care settings	Yes				1557
Tobacco tax increases on cigarettes: States/Federal	Number of States, DC, and Federal government that have increased tax on cigarettes by \$1.50	Yes	Yes			1548
Tobacco tax increases on smokeless tobacco: States/Federal	Number of States, DC, and Federal government that have increased tax on smokeless tobacco products by \$1.50	Yes	Yes			1549
Tobacco use in past month: teens	Percent of adolescent reporting use of tobacco products in the past month - Students (grades 9 through 12)	Yes	Yes			1501

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Tobacco use initiation: adults 18-25 years	Percent of young adults aged 18 to 25 years initiating tobacco products use in the past 12 months	Yes				1509
Tobacco use initiation: teens	Percent of children and adolescents aged 12 to 17 years initiating tobacco use in past 12 months	Yes				1505
Tobacco use prevention: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in tobacco	Yes				599
Tooth loss, all permanent: adults 65-74 years	Percent of older adults aged 65 to 74 years who have lost all of their natural teeth	Yes				1279
Tooth loss, any permanent: adults 45-64 years	Percent of adults aged 45 to 64 years who have ever had a permanent tooth extracted because of dental caries or periodontitis	Yes				1278
Toxic chemicals (pounds)	Toxic chemicals released annually	Yes	Yes	Yes		105
Toxic pollutants	Amount of toxic pollutants released into the environment	Yes				678
Transition planning: teens with special health care needs	Percent of youth with special health care needs whose health care provider has discussed transition planning from pediatric to adult Health Care	Yes				536
Transition to self-sufficiency from foster care	Percent of adolescents who exhibit readiness to transition to self-sufficiency from foster care	Yes				412
Transplant Centers (number)	Number of transplant centers	Yes	Yes		Yes	50026
Trauma care access, by land mass	Percent of the land mass of the continental United States with access to trauma care	Yes				1097
Trauma care access, by population	Percent of the population residing within the continental United States with access to trauma care	Yes				1096
Traumatic brain injury deaths	Traumatic brain injury death rate	Yes				1059
Traumatic brain injury ED visits	Rate of emergency department visits for nonfatal traumatic brain injuries	Yes				1061
Traumatic brain injury hospitalizations	Hospitalization rate for nonfatal traumatic brain injuries	Yes				1060
Treatment: adults substance abuse and mental disorders	Percent of persons with co-occurring substance abuse and mental disorders who receive treatment for both disorders	Yes				1119
Treatment: adults with major depressive episode	Percent of adults aged 18 years and older with major depressive episode	Yes				1118
Treatment: adults with serious mental illness	Percent of adults aged 18 years and older with serious mental illness (SMI)	Yes				1117

Short Description	Full Description	National	State	County	HRR	HIW ID
Treatment: children with mental health problems	Percent of children with mental health problems who receive treatment	Yes				1110
Trying to lose weight: adults with pre-diabetes	Percent of persons at high risk for diabetes (with pre-diabetes) who report trying to lose weight	Yes				563
Tuberculosis	Tuberculosis (TB) rate	Yes				969
Tuberculosis: foreign born persons	Tuberculosis (TB) case rate for foreign-born persons living in the United States	Yes				845
Unemployed: persons 16+ (percent)	Percent of population age 16+ unemployed and looking for work	Yes	Yes	Yes		35
Unemployment: adults 18-64 years with arthritis	Unemployment rate among adults aged 18-64 years with doctor-diagnosed arthritis	Yes				423
Unemployment: persons 16-64 years with disabilities	Unemployment rates among adults aged 16-64 with disabilities	Yes				541
Unintended pregnancy prevention: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in unintended pregnancy	Yes				601
Unintentional Injury deaths: No MVA (per 100,000)	Unintentional injury death rate (excluding motor vehicle injuries)	Yes	Yes	Yes		79
Unknown risks to health: news on foodborne disease outbreaks or national disasters	Percent of crisis and emergency risk messages embedded in print and broadcast news stories that explain what is NOT known about the threat to human health	Yes				10095
Unprotected sex: men who have sex with men	Percent of men who have sex with men who reported unprotected anal sex in the last 12 months	Yes				961
Urinary microalbumin measurement: diabetic Medicare beneficiaries	Percent of persons with diagnosed diabetes who obtain an annual urinary microalbumin measurement	Yes				549
Urinary tract infection admission rate (per 100,000 beneficiaries)	Prevention Quality Indicators: Urinary tract infection admission rate among Medicare fee-for-service beneficiaries	Yes	Yes	Yes	Yes	2044
Use of hearing protection: adults	Rate of adults aged 20 to 69 years who have ever used hearing protection devices (earplugs, earmuffs) when exposed to loud sounds or noise	Yes				752
Use of hearing protection: teens	Rate of adolescents aged 12 to 19 years who have ever used hearing protection devices (earplugs, earmuffs) when exposed to loud sounds or noise	Yes				753
Use of mobile devices for internet access	Percent of persons who use mobile devices for internet use	Yes				859
Usual primary care provider	Percent of persons with a usual primary care provider	Yes				372

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Uterine cervix cancer deaths	Uterine cervix cancer death rate	Yes				489
Vaccination coverage assessment: private health providers	Percent of private providers who have had vaccination coverage levels among children in their practice population measured within the past year	Yes				977
Vaccination coverage assessment: public health providers	Percent of public health providers who have had vaccination coverage levels among children in their practice population measured within the past year	Yes				976
Vaccination record keeping	Percent of children under age 6 years of age whose immunization records are in fully operational, population-based immunization information systems	Yes				1009
Vaccination, zero doses: children 18-35 months	Percent of children in the United States who receive zero doses of recommended vaccines by age 19 to 35 months	Yes				1039
Varicella vaccination: children 19-35 months	Percent of young children who have received universally recommended vaccines-1 dose varicella vaccine by age 19 to 35 months	Yes	Yes			998
Varicella vaccination: kindergarteners	Vaccination coverage levels for children in kindergarten-Varicella vaccine (2 or more doses)	Yes				1007
Varicella vaccination: teens 13-15 years	Percent of adolescents who have 2 doses of varicella vaccine by age 13 to 15 years (excluding children who have had varicella)	Yes	Yes			1011
Varicella: children	Number of varicella (chicken pox) cases among persons aged 17 years of age and under	Yes				987
Vascular access for hemodialysis	Percent of adult hemodialysis patients who use arteriovenous fistulas as the primary mode of vascular access	Yes				469
Vegetable consumption	Mean daily intake of vegetables (in cup equivalents per 1,000 calories) by persons aged 2 years and over	Yes				1218
Vegetable consumption	Mean daily intake of dark green vegetables, red and orange vegetables, and beans and peas (in cup equivalents per 1,000 calories) by persons aged 2 years and over	Yes				1219
Vehicle restraint proper use: children 1-3 years	Percent of age-appropriate vehicle restraint system use in children aged 1 to 3 years	Yes				1055
Vehicle restraint proper use: children 4-7 years	Percent of age-appropriate vehicle restraint system use in children aged 4 to 7 years	Yes				1056
Vehicle restraint proper use: children 8-12 years	Percent of age-appropriate vehicle restraint system use in children aged 8 to 12 years	Yes				1057
Vehicle restraint proper use: infants 0-12 months	Percent of age-appropriate vehicle restraint system use in infants 0 to 12 months	Yes				1054

<i>Short Description</i>	<i>Full Description</i>	<i>National</i>	<i>State</i>	<i>County</i>	<i>HRR</i>	<i>HIW ID</i>
Venous thromboembolism physician visits	Rate of visits for venous thromboembolism (VTE)	Yes				441
Very low birth weight deliveries (percent)	Percent of live births that are very low birth weight (VLBW)	Yes	Yes	Yes		1136
Very low birth weight infants born at level III hospitals	Percent of very low birth weight (VLBW) infants born at level III hospitals or subspecialty perinatal centers	Yes				1195
Vibrio species infections	Rate of infections caused by key pathogens transmitted commonly through food: Vibrio species	Yes				827
Violence exposure: children	Percent of children who are exposed to violence	Yes				1104
Violence prevention: community-based organizations	Percent of community-based organizations (including local health departments, tribal health services, nongovernmental organizations, and State agencies) providing population-based primary prevention services in violence	Yes				597
Violent crimes: perpetrators 10-24 years	Rate of minor and young adult perpetration of violent crimes	Yes				413
Violent death surveillance: states	Number of states that link data on violent deaths from death certificates, law enforcement, and coroner and medical examiner reports to inform prevention efforts at the state and local levels	Yes				1101
Vision limitations: adults (percent)	Percent of adults aged 18 and over with any trouble seeing, even with glasses or contacts	Yes				50047
Vision screening: children ≤5 years	Percent of preschool children aged 5 years and under who receive vision screening	Yes				1562
Visitable features: homes and residential buildings	Percent of newly constructed or retrofitted U.S. homes and residential buildings that have visitable features	Yes				542
Visual impairment due to cataracts: older adults	Rate of visual impairment due to cataract	Yes				1570
Visual impairment due to diabetic retinopathy: diabetic adults	Rate of visual impairment due to diabetic retinopathy	Yes				1568
Visual impairment due to macular degeneration: adults 45+ years	Rate of visual impairment due to age-related macular degeneration (AMD)	Yes				1571
Visual impairment due to refractive errors: persons 12+ years	Rate of visual impairment due to uncorrected refractive error	Yes				1567
Visual impairment: children <18 years	Percent of children and adolescents aged 17 years and under with blindness and visual impairment	Yes				1563
Visual impairments due to glaucoma: adults 45+ years	Rate of visual impairment due to glaucoma	Yes				1569
Visual rehabilitation services use: adults with visual impairments	Rate of use of vision rehabilitation services by persons with visual impairment	Yes				1574
von Willebrand Disease diagnosis: women	Percent of women with von Willebrand disease (vWD) who are timely and accurately diagnosed	Yes				443

Short Description	Full Description	National	State	County	HRR	HIW ID
Walking for transportation	Percent of trips to work using of alternative modes of transportation - walking	Yes				667
Water quality/sanitation/hygiene deaths: global	Global burden of disease resulting in death due to poor water quality, sanitation, and insufficient hygiene	Yes				720
Waterborne disease outbreaks	Number of waterborne disease outbreaks arising from water intended for drinking among persons served by community water systems	Yes				660
Weapon carrying on school property: teens	Percent of weapon carrying by adolescents on school property	Yes	Yes			1053
Weight loss counseling: overweight adults with arthritis	Percent of adults with doctor-diagnosed arthritis who receive health care provider counseling-For weight reduction among overweight and obese persons	Yes				421
Weight loss, nutrition or physical activity counseling: obese patients	Percent of physician office visits made by adult patients who are obese that include counseling or education related to weight reduction, nutrition, or physical activity	Yes				1226
Welcome to Medicare benefit use	Percent of older adults who use the Welcome to Medicare benefit	Yes				1260
Wellness check-up: teens aged 12-17	Percent of adolescents who have had a wellness checkup in the past 12 months	Yes				405
Whole grain consumption	Mean daily intake of whole grains (in ounce equivalents per 1,000 calories) by persons aged 2 years and over	Yes				1220
Work limitations: adults 18-64 years with arthritis	Percent of adults aged 18-64 years with doctor-diagnosed arthritis who are limited in their ability to work for pay due to arthritis	Yes				424
Worksite lactation support programs	Percent of employers that have worksite lactation support programs	Yes				1184
Years of potential life lost before age 75 (per 100,000)	Rate per 100,000 of years of potential life lost before age 75	Yes	Yes	Yes		3
Yersinia species infections	Rate of infections caused by key pathogens transmitted commonly through food: Yersinia species	Yes				828